

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1001	ACETYLENE, DISSOLVED		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1002	AIR, COMPRESSED		2.2		Non-Flammable Gas	392 397 655 662		P200	30 Kgs G	3	(E)	Accepted
1006	ARGON, COMPRESSED		2.2		Non-Flammable Gas	378 392 653 662	SP653 Accepted under contract only	P200	30 Kgs G	3	(E)	Accepted
1009	BROMOTRIFLUORO-METHANE (REFRIGERANT GAS R 13B1)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1010	BUTADIENES, STABILIZED or BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED, containing more than 40% butadienes		2.1		Flammable Gas	386 618 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1011	BUTANE		2.1		Flammable Gas	392 652 657 662 674	SP652 Not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1012	BUTYLENE		2.1		Flammable Gas	398 662		P200	30 Kgs G	2	(B/D)	Forbidden
1013	CARBON DIOXIDE		2.2		Non-Flammable Gas	378 392 584 653 662	SP653 Accepted under contract only	P200	30 Kgs G	3	(C/E)	Accepted
1018	CHLORODIFLUORO-METHANE (REFRIGERANT GAS R 22)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1020	CHLOROPENTAFLUORO-ETHANE (REFRIGERANT GAS R 115)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1021	1-CHLORO-1,2,2,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 124)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1022	CHLOROTRIFLUORO-METHANE (REFRIGERANT GAS R 13)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1027	CYCLOPROPANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1028	DICHLORODIFLUORO-METHANE (REFRIGERANT GAS R 12)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1029	DICHLOROFLUORO-METHANE (REFRIGERANT GAS R 21)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1030	1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1032	DIMETHYLAMINE, ANHYDROUS		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1033	DIMETHYL ETHER		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1035	ETHANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1036		ETHYLAMINE	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1037		ETHYL CHLORIDE	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1039		ETHYL METHYL ETHER	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1041		ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1043		FERTILIZER AMMONIATING SOLUTION with free ammonia	2.2		Non-Flammable Gas	642			30 Kgs G	-	(-)	Forbidden
1044		FIRE EXTINGUISHERS with compressed or liquefied gas	2.2		Non-Flammable Gas	225 594		P003	30 Kgs G	3	(E)	Accepted
1046		HELIUM, COMPRESSED	2.2		Non-Flammable Gas	378 392 653 662	SP653 Accepted under contract only	P200	30 Kgs G	3	(E)	Accepted
1049		HYDROGEN, COMPRESSED	2.1		Flammable Gas	392 662		P200	30 Kgs G	2	(B/D)	Forbidden
1055		ISOBUTYLENE	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1056		KRYPTON, COMPRESSED	2.2		Non-Flammable Gas	378 392 662		P200	30 Kgs G	3	(E)	Accepted
1057		LIGHTERS or LIGHTER REFILLS containing flammable gas	2.1		Flammable Gas	201 654 658	SP654 and SP658 Not accepted by UPS	P002	30 Kgs G	2	(D)	Accepted
1058		LIQUEFIED GASES, non-flammable, charged with nitrogen, carbon dioxide or air	2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted
1060		METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED such as mixture P1 or mixture P2	2.1		Flammable Gas	386 581 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1061		METHYLAMINE, ANHYDROUS	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1063		METHYL CHLORIDE (REFRIGERANT GAS R 40)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1065		NEON, COMPRESSED	2.2		Non-Flammable Gas	378 392 662		P200	30 Kgs G	3	(E)	Accepted
1066		NITROGEN, COMPRESSED	2.2		Non-Flammable Gas	378 392 653 662	SP653 Accepted under contract only	P200	30 Kgs G	3	(E)	Accepted
1070		NITROUS OXIDE	2.2 (5.1)		Non-Flammable Gas, Oxidizer	584 662		P200	30 Kgs G	3	(C/E)	Accepted
1072		OXYGEN, COMPRESSED	2.2 (5.1)		Non-Flammable Gas, Oxidizer	355 655 662		P200	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1075	PETROLEUM GASES, LIQUEFIED	Yes	2.1		Flammable Gas	274 392 583 639 662 674		P200	30 Kgs G	2	(B/D)	Forbidden
1077	PROPYLENE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1078	REFRIGERANT GAS, N.O.S., such as mixture F1, mixture F2 or mixture F3	Yes	2.2		Non-Flammable Gas	274 582 662		P200	30 Kgs G	3	(C/E)	Accepted
1080	SULPHUR HEXAFLUORIDE		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted
1081	TETRAFLUOROETHYLENE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1083	TRIMETHYLAMINE, ANHYDROUS		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1085	VINYL BROMIDE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1086	VINYL CHLORIDE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1087	VINYL METHYL ETHER, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1088	ACETAL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1089	ACETALDEHYDE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1090	ACETONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1091	ACETONE OILS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1093	ACRYLONITRILE, STABILIZED		3 (6.1)	I	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1099	ALLYL BROMIDE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1100	ALLYL CHLORIDE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1104	AMYL ACETATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1105	PENTANOLS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1105	PENTANOLS		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1106	AMYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1106	AMYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
1107	AMYL CHLORIDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1108	1-PENTENE (n-AMYLENE)		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1109	AMYL FORMATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1110	n-AMYL METHYL KETONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1111	AMYL MERCAPTAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1112	AMYL NITRATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1113	AMYL NITRITE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1114	BENZENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1120	BUTANOLS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1120	BUTANOLS		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1123	BUTYL ACETATES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1123	BUTYL ACETATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1125	n-BUTYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1126	1-BROMOBUTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1127	CHLOROBUTANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1128	n-BUTYL FORMATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1129	BUTYRALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1130	CAMPHOR OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1131	CARBON DISULPHIDE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1133	ADHESIVES containing flammable liquid		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1133	ADHESIVES containing flammable liquid (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1133	ADHESIVES containing flammable liquid (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1133	ADHESIVES containing flammable liquid		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1133	ADHESIVES containing flammable liquid (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1133	ADHESIVES containing flammable liquid (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1134	CHLOROBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1136		COAL TAR DISTILLATES, FLAMMABLE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1136		COAL TAR DISTILLATES, FLAMMABLE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining)	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (vapour pressure at 50 °C more than 110 kPa)	3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining)	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1144		CROTONYLENE	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1145		CYCLOHEXANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1146		CYCLOPENTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1147		DECAHYDRO-NAPHTHALENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1148		DIACETONE ALCOHOL	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1148		DIACETONE ALCOHOL	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1149		DIBUTYL ETHERS	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1150		1,2-DICHLOROETHYLENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1152		DICHLOROPENTANES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1153		ETHYLENE GLYCOL DIETHYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1153		ETHYLENE GLYCOL DIETHYL ETHER	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1154		DIETHYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1155		DIETHYL ETHER (ETHYL ETHER)	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1156		DIETHYL KETONE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1157		DIISOBUTYL KETONE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1158		DIISOPROPYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1159		DIISOPROPYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1160		DIMETHYLAMINE AQUEOUS SOLUTION	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1161		DIMETHYL CARBONATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1162		DIMETHYLDICHLORO-SILANE	3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden
1164		DIMETHYL SULPHIDE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1165		DIOXANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1166		DIOXOLANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1167		DIVINYL ETHER, STABILIZED	3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1170		ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	3	II	Flammable Liquid	144 601		P001	30 Kgs G	2	(D/E)	Accepted
1170		ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	3	III	Flammable Liquid	144 601		P001	30 Kgs G	3	(D/E)	Accepted
1171		ETHYLENE GLYCOL MONOETHYL ETHER	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1172		ETHYLENE GLYCOL MONOETHYL ETHER ACETATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1173		ETHYL ACETATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1175		ETHYLBENZENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1176		ETHYL BORATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1177		2-ETHYLBUTYL ACETATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1178		2-ETHYLBUTYRALDEHYDE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1179		ETHYL BUTYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1180		ETHYL BUTYRATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1181		ETHYL CHLOROACETATE	6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1184		ETHYLENE DICHLORIDE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
1188		ETHYLENE GLYCOL MONOMETHYL ETHER	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1189		ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1190		ETHYL FORMATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1191		OCTYL ALDEHYDES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1192		ETHYL LACTATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1193		ETHYL METHYL KETONE (METHYL ETHYL KETONE)	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1195		ETHYL PROPIONATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1196		ETHYLTRICHLOROSILANE	3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden
1197		EXTRACTS, LIQUID for flavour or aroma (vapour pressure at 50 °C more than 110 kPa)	3	II	Flammable Liquid	601 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1197		EXTRACTS, LIQUID for flavour or aroma (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	601 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1197		EXTRACTS, LIQUID for flavour or aroma	3	III	Flammable Liquid	601		P001	30 Kgs G	3	(D/E)	Accepted
1197		EXTRACTS, LIQUID for flavour or aroma (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid	601		P001	30 Kgs G	3	(E)	Accepted
1197		EXTRACTS, LIQUID for flavour or aroma (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid	601		P001	30 Kgs G	3	(E)	Accepted
1198		FORMALDEHYDE SOLUTION, FLAMMABLE	3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
1199		FURALDEHYDES	6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1201		FUSEL OIL	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1201		FUSEL OIL	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1202		GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT (flash-point not more than 60 °C)	3	III	Flammable Liquid	640K 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted
1202		DIESEL FUEL complying with standard EN 590:2013 + A1:2017 or GAS OIL or HEATING OIL, LIGHT with a flash-point as specified in EN 590:2013 + A1:2017	3	III	Flammable Liquid	640L 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT (flash-point more than 60 °C and not more than 100 °C)		3	III	Flammable Liquid	640M 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted
1203	MOTOR SPIRIT or GASOLINE or PETROL		3	II	Flammable Liquid	243 534 664	SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1206	HEPTANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1207	HEXALDEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1208	HEXANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable		3	I	Flammable Liquid	163 367		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	163 367 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	163 367 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable		3	III	Flammable Liquid	163 367		P001	30 Kgs G	3	(D/E)	Accepted
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid	163 367		P001	30 Kgs G	3	(E)	Accepted
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid	163 367		P001	30 Kgs G	3	(E)	Accepted
1212	ISOBUTANOL (ISOBUTYL ALCOHOL)		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1213	ISOBUTYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1214	ISOBUTYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1216	ISOOCETENES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1218	ISOPRENE, STABILIZED		3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1219	ISOPROPANOL (ISOPROPYL ALCOHOL)		3	II	Flammable Liquid	601		P001	30 Kgs G	2	(D/E)	Accepted
1220	ISOPROPYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1221	ISOPROPYLAMINE		3 (8)	I	Flammable Liquid, Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1222	ISOPROPYL NITRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(E)	Accepted
1223	KEROSENE		3	III	Flammable Liquid	664	SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted
1224	KETONES, LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1224	KETONES, LIQUID, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1224	KETONES, LIQUID, N.O.S.	Yes	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted
1228	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden
1228	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden
1229	MESITYL OXIDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1230	METHANOL		3 (6.1)	II	Flammable Liquid, Toxic	279		P001	30 Kgs G	2	(D/E)	Forbidden
1231	METHYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1233	METHYLAMYL ACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1234	METHYLAL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1235	METHYLAMINE, AQUEOUS SOLUTION		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1237	METHYL BUTYRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1243	METHYL FORMATE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1245	METHYL ISOBUTYL KETONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1246	METHYL ISOPROPENYL KETONE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
1247	METHYL METHACRYLATE MONOMER, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1248	METHYL PROPRIONATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1249	METHYL PROPYL KETONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1250	METHYLTRICHLORO-SILANE		3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden
1261	NITROMETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(E)	Accepted
1262	OCTANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		3	I	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	163 367 640C 650	SP640 not applicable to UPS. SP650 not accepted by UPS.	P001	30 Kgs G	2	(D/E)	Accepted
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	163 367 640D 650	SP640 not applicable to UPS. SP650 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		3	III	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1263						163 367 650	SP650 not accepted by UPS	P001	30 Kgs G	3	(E)	Accepted
1264	PARALDEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1265	PENTANES, liquid		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1265	PENTANES, liquid		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1266	PERFUMERY PRODUCTS with flammable solvents (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	163 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1266	PERFUMERY PRODUCTS with flammable solvents (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	163 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1266	PERFUMERY PRODUCTS with flammable solvents (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid	163		P001	30 Kgs G	3	(E)	Accepted
1266	PERFUMERY PRODUCTS with flammable solvents		3	III	Flammable Liquid	163		P001	30 Kgs G	3	(D/E)	Accepted
1266	PERFUMERY PRODUCTS with flammable solvents (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid	163		P001	30 Kgs G	3	(E)	Accepted
1267	PETROLEUM CRUDE OIL		3	I	Flammable Liquid	357		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1267	PETROLEUM CRUDE OIL (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	357 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1267	PETROLEUM CRUDE OIL (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	357 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1267	PETROLEUM CRUDE OIL		3	III	Flammable Liquid	357		P001	30 Kgs G	3	(D/E)	Accepted
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.		3	I	Flammable Liquid	664	SP664 not applicable to UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S. (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.		3	III	Flammable Liquid	664	SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted
1272	PINE OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1275	PROPIONALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1276	n-PROPYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1277	PROPYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1278	1-CHLOROPROPANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1279	1,2-DICHLOROPROPANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1280	PROPYLENE OXIDE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1281	PROPYL FORMATES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1282	PYRIDINE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1286	ROSIN OIL (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1286	ROSIN OIL (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1286	ROSIN OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1286	ROSIN OIL (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1286	ROSIN OIL (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1287	RUBBER SOLUTION (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1287		RUBBER SOLUTION (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1287		RUBBER SOLUTION	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1287		RUBBER SOLUTION (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1287		RUBBER SOLUTION (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1288		SHALE OIL	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1288		SHALE OIL	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1289		SODIUM METHYLATE SOLUTION in alcohol	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1289		SODIUM METHYLATE SOLUTION in alcohol	3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
1292		TETRAETHYL SILICATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1293		TINCTURES, MEDICINAL	3	II	Flammable Liquid	601		P001	30 Kgs G	2	(D/E)	Accepted
1293		TINCTURES, MEDICINAL	3	III	Flammable Liquid	601		P001	30 Kgs G	3	(D/E)	Accepted
1294		TOLUENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1296		TRIETHYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1297		TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	3 (8)	I	Flammable Liquid, Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1297		TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1297		TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
1298		TRIMETHYLCHLORO-SILANE	3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden
1299		TURPENTINE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1300		TURPENTINE SUBSTITUTE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1300		TURPENTINE SUBSTITUTE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1301		VINYL ACETATE, STABILIZED	3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
1302		VINYL ETHYL ETHER, STABILIZED	3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1303	VINYLDENE CHLORIDE, STABILIZED		3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1304	VINYL ISOBUTYL ETHER, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
1305	VINYLTRICHLOROSILANE		3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden
1306	WOOD PRESERVATIVES, LIQUID (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1306	WOOD PRESERVATIVES, LIQUID (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1306	WOOD PRESERVATIVES, LIQUID		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1306	WOOD PRESERVATIVES, LIQUID (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1306	WOOD PRESERVATIVES, LIQUID (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1307	XYLENES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1307	XYLENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1309	ALUMINIUM POWDER, COATED		4.1	II	Flammable Solid			P002	30 Kgs G	2	(E)	Accepted
1309	ALUMINIUM POWDER, COATED		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1312	BORNEOL		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1313	CALCIUM RESINATE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1314	CALCIUM RESINATE, FUSED		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1318	COBALT RESINATE, PRECIPITATED		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1323	FERROCERIUM		4.1	II	Flammable Solid	249		P002	30 Kgs G	2	(E)	Accepted
1324	FILMS, NITROCELLULOSE BASE, gelatin coated, except scrap		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1325	FLAMMABLE SOLID, ORGANIC, N.O.S.	Yes	4.1	II	Flammable Solid	274		P002	30 Kgs G	2	(E)	Accepted
1325	FLAMMABLE SOLID, ORGANIC, N.O.S.	Yes	4.1	III	Flammable Solid	274		P002	30 Kgs G	3	(E)	Accepted
1326	HAFNIUM POWDER, WETTED with not less than 25% water		4.1	II	Flammable Solid	586		P410	30 Kgs G	2	(E)	Accepted
1328	HEXAMETHYLENETE-TRAMINE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1330	MANGANESE RESINATE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1331	MATCHES, 'STRIKE ANYWHERE'		4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted
1332	METALDEHYDE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
1333	CERIUM, slabs, ingots or rods		4.1	II	Flammable Solid			P002	30 Kgs G	2	(E)	Accepted
1334	NAPHTHALENE, CRUDE or NAPHTHALENE, REFINED		4.1	III	Flammable Solid	501		P002	30 Kgs G	3	(E)	Accepted
1338	PHOSPHORUS, AMORPHOUS		4.1	III	Flammable Solid			P410	30 Kgs G	3	(E)	Accepted
1339	PHOSPHORUS HEPTASULPHIDE, free from yellow and white phosphorus		4.1	II	Flammable Solid	602		P410	30 Kgs G	2	(E)	Accepted
1341	PHOSPHORUS SESQUISULPHIDE, free from yellow and white phosphorus		4.1	II	Flammable Solid	602		P410	30 Kgs G	2	(E)	Accepted
1343	PHOSPHORUS TRISULPHIDE, free from yellow and white phosphorus		4.1	II	Flammable Solid	602		P410	30 Kgs G	2	(E)	Accepted
1345	RUBBER SCRAP or RUBBER SHODDY, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45 %		4.1	II	Flammable Solid			P002	30 Kgs G	4	(E)	Accepted
1346	SILICON POWDER, AMORPHOUS		4.1	III	Flammable Solid	32		P002	30 Kgs G	3	(E)	Accepted
1350	SULPHUR		4.1	III	Flammable Solid	242		P002	30 Kgs G	3	(E)	Accepted
1352	TITANIUM POWDER, WETTED with not less than 25% water		4.1	II	Flammable Solid	586		P410	30 Kgs G	2	(E)	Accepted
1353	FIBRES or FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S.		4.1	III	Flammable Solid	502		P410	30 Kgs G	3	(E)	Accepted
1358	ZIRCONIUM POWDER, WETTED with not less than 25% water		4.1	II	Flammable Solid	586		P410	30 Kgs G	2	(E)	Accepted
1361	CARBON, animal or vegetable origin		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden
1361	CARBON, animal or vegetable origin		4.2	III	Spontaneously Combustible	665		P002	30 Kgs G	4	(E)	Forbidden
1362	CARBON, ACTIVATED		4.2	III	Spontaneously Combustible	646		P002	30 Kgs G	4	(E)	Forbidden
1363	COPRA		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden
1364	COTTON WASTE, OILY		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden
1365	COTTON, WET		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden
1369	p-NITROSODIMETHYL-ANILINE		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1373	FIBRES or FABRICS, ANIMAL or VEGETABLE or SYNTHETIC, N.O.S. with oil		4.2	III	Spontaneously Combustible			P410	30 Kgs G	3	(E)	Forbidden
1374	FISH MEAL (FISH SCRAP), UNSTABILIZED		4.2	II	Spontaneously Combustible	300	SP300 not accepted by UPS	P410	30 Kgs G	2	(D/E)	Forbidden
1376	IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification		4.2	III	Spontaneously Combustible	592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden
1378	METAL CATALYST, WETTED with a visible excess of liquid	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden
1379	PAPER, UNSATURATED OIL TREATED, incompletely dried (including carbon paper)		4.2	III	Spontaneously Combustible			P410	30 Kgs G	3	(E)	Forbidden
1382	POTASSIUM SULPHIDE, ANHYDROUS or POTASSIUM SULPHIDE with less than 30% water of crystallization		4.2	II	Spontaneously Combustible	504		P410	30 Kgs G	2	(D/E)	Forbidden
1384	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden
1385	SODIUM SULPHIDE, ANHYDROUS or SODIUM SULPHIDE with less than 30% water of crystallization		4.2	II	Spontaneously Combustible	504		P410	30 Kgs G	2	(D/E)	Forbidden
1386	SEED CAKE with more than 1.5% oil and not more than 11% moisture		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden
1431	SODIUM METHYLATE		4.2 (8)	II	Spontaneously Combustible, Corrosive			P410	30 Kgs G	2	(D/E)	Forbidden
1437	ZIRCONIUM HYDRIDE		4.1	II	Flammable Solid			P410	30 Kgs G	2	(E)	Forbidden
1438	ALUMINIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1439	AMMONIUM DICHROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Forbidden
1442	AMMONIUM PERCHLORATE		5.1	II	Oxidizer	152		P002	30 Kgs G	2	(E)	Forbidden
1444	AMMONIUM PERSULPHATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1445	BARIUM CHLORATE, SOLID		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1446	BARIUM NITRATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1447	BARIUM PERCHLORATE, SOLID		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1448	BARIUM PERMANGANATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1449	BARIUM PEROXIDE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1450	BROMATES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 350		P002	30 Kgs G	2	(E)	Accepted
1451	CAESIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1452	CALCIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1453	CALCIUM CHLORITE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Forbidden
1454	CALCIUM NITRATE		5.1	III	Oxidizer	208		P002	30 Kgs G	3	(E)	Accepted
1455	CALCIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1456	CALCIUM PERMANGANATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1457	CALCIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1458	CHLORATE AND BORATE MIXTURE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1458	CHLORATE AND BORATE MIXTURE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1461	CHLORATES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 351		P002	30 Kgs G	2	(E)	Accepted
1462	CHLORITES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 352 509		P002	30 Kgs G	2	(E)	Forbidden
1463	CHROMIUM TRIOXIDE, ANHYDROUS		5.1 (6.1, 8)	II	Oxidizer, Toxic, Corrosive	510		P002	30 Kgs G	2	(E)	Forbidden
1465	DIDYMIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1466	FERRIC NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1467	GUANIDINE NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1469	LEAD NITRATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1470	LEAD PERCHLORATE, SOLID		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1472	LITHIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1473	MAGNESIUM BROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1474	MAGNESIUM NITRATE		5.1	III	Oxidizer	332		P002	30 Kgs G	3	(E)	Accepted
1475	MAGNESIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1476	MAGNESIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1477	NITRATES, INORGANIC, N.O.S.		5.1	II	Oxidizer	511		P002	30 Kgs G	2	(E)	Accepted
1477	NITRATES, INORGANIC, N.O.S.		5.1	III	Oxidizer	511		P002	30 Kgs G	3	(E)	Accepted
1479	OXIDIZING SOLID, N.O.S.	Yes	5.1	I	Oxidizer	274		P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1479	OXIDIZING SOLID, N.O.S.	Yes	5.1	II	Oxidizer	274		P002	30 Kgs G	2	(E)	Accepted
1479	OXIDIZING SOLID, N.O.S.	Yes	5.1	III	Oxidizer	274		P002	30 Kgs G	3	(E)	Accepted
1481	PERCHLORATES, INORGANIC, N.O.S.		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1481	PERCHLORATES, INORGANIC, N.O.S.		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1482	PERMANGANATES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 353		P002	30 Kgs G	2	(E)	Accepted
1482	PERMANGANATES, INORGANIC, N.O.S.	Yes	5.1	III	Oxidizer	274 353		P002	30 Kgs G	3	(E)	Accepted
1483	PEROXIDES, INORGANIC, N.O.S.		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1483	PEROXIDES, INORGANIC, N.O.S.		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1484	POTASSIUM BROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1485	POTASSIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1486	POTASSIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1487		POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE	5.1	II	Oxidizer	607		P002	30 Kgs G	2	(E)	Accepted
1488		POTASSIUM NITRITE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1489		POTASSIUM PERCHLORATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1490		POTASSIUM PERMANGANATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1491		POTASSIUM PEROXIDE	5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1492		POTASSIUM PERSULPHATE	5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1493		SILVER NITRATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1494		SODIUM BROMATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1495		SODIUM CHLORATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1496		SODIUM CHLORITE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Forbidden
1498		SODIUM NITRATE	5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1499		SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE	5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1500		SODIUM NITRITE	5.1 (6.1)	III	Oxidizer, Toxic			P002	30 Kgs G	3	(E)	Forbidden
1502		SODIUM PERCHLORATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1503		SODIUM PERMANGANATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1504		SODIUM PEROXIDE	5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1505		SODIUM PERSULPHATE	5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1506		STRONTIUM CHLORATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1507		STRONTIUM NITRATE	5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
1508		STRONTIUM PERCHLORATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1509		STRONTIUM PEROXIDE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1511		UREA HYDROGEN PEROXIDE	5.1 (8)	III	Oxidizer, Corrosive			P002	30 Kgs G	3	(E)	Forbidden
1512		ZINC AMMONIUM NITRITE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1513		ZINC CHLORATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1514		ZINC NITRATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1515		ZINC PERMANGANATE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1516		ZINC PEROXIDE	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
1544		ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 274	P002	30 Kgs G	2	(D/E)	Accepted
1544		ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 274	P002	30 Kgs G	2	(E)	Accepted
1545		ALLYL ISOTHIOCYANATE, STABILIZED		6.1 (3)	II	Toxic, Flammable Liquid	386 676	SP386 not accepted by UPS P001	30 Kgs G	2	(D/E)	Forbidden
1546		AMMONIUM ARSENATE		6.1	II	Toxic		P002	30 Kgs G	2	(D/E)	Forbidden
1547		ANILINE		6.1	II	Toxic	279	P001	30 Kgs G	2	(D/E)	Accepted
1548		ANILINE HYDROCHLORIDE		6.1	III	Toxic		P002	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1549	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.	Yes	6.1	III	Toxic	45 274 512		P002	30 Kgs G	2	(E)	Accepted
1550	ANTIMONY LACTATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1551	ANTIMONY POTASSIUM TARTRATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1554	ARSENIC ACID, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1555	ARSENIC BROMIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1556	ARSENIC COMPOUND, LIQUID, N.O.S., inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Forbidden
1556	ARSENIC COMPOUND, LIQUID, N.O.S., inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Forbidden
1557	ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Forbidden
1557	ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Forbidden
1558	ARSENIC		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1559	ARSENIC PENTOXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1561	ARSENIC TRIOXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1562	ARSENICAL DUST		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1564	BARIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	177 274 513 587		P002	30 Kgs G	2	(D/E)	Accepted
1564	BARIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	177 274 513 587		P002	30 Kgs G	2	(E)	Accepted
1566	BERYLLIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	274 514		P002	30 Kgs G	2	(D/E)	Forbidden
1566	BERYLLIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274 514		P002	30 Kgs G	2	(E)	Forbidden
1567	BERYLLIUM POWDER		6.1 (4.1)	II	Toxic, Flammable Solid			P002	30 Kgs G	2	(D/E)	Forbidden
1569	BROMOACETONE		6.1 (3)	II	Toxic, Flammable Liquid			P602	30 Kgs G or 15 Kgs G for some packaging.	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1572	CACODYLIC ACID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1573	CALCIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1574	CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1577	CHLORODINITRO-BENZENES, LIQUID		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted
1578	CHLORONITROBENZENES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted
1579	4-CHLORO-o-TOLUIDINE HYDROCHLORIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1583	CHLOROPICRIN MIXTURE, N.O.S.	Yes	6.1	II	Toxic	274 515		P001	30 Kgs G	2	(D/E)	Accepted
1583	CHLOROPICRIN MIXTURE, N.O.S.	Yes	6.1	III	Toxic	274 515		P001	30 Kgs G	2	(E)	Accepted
1585	COPPER ACETOARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1586	COPPER ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1587	COPPER CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1588	CYANIDES, INORGANIC, SOLID, N.O.S.	Yes	6.1	II	Toxic	47 274		P002	30 Kgs G	2	(D/E)	Forbidden
1588	CYANIDES, INORGANIC, SOLID, N.O.S.	Yes	6.1	III	Toxic	47 274		P002	30 Kgs G	2	(E)	Forbidden
1590	DICHLOROANILINES, LIQUID		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted
1591	o-DICHLOROBENZENE		6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted
1593	DICHLOROMETHANE		6.1	III	Toxic	516		P001	30 Kgs G	2	(E)	Accepted
1594	DIETHYL SULPHATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1596	DINITROANILINES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
1597	DINITROBENZENES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1597	DINITROBENZENES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
1598	DINITRO-o-CRESOL		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted
1599	DINITROPHENOL SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1599	DINITROPHENOL SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted
1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted
1602	DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted
1602	DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted
1603	ETHYL BROMOACETATE		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1604	ETHYLENEDIAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1606	FERRIC ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1607	FERRIC ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1608	FERROUS ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1611	HEXAETHYL TETRAPHOSPHATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1616	LEAD ACETATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1617	LEAD ARSENATES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1618		LEAD ARSENITES	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1620		LEAD CYANIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1621		LONDON PURPLE	6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Forbidden
1622		MAGNESIUM ARSENATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1623		MERCURIC ARSENATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1624		MERCURIC CHLORIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1625		MERCURIC NITRATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1627		MERCUROUS NITRATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1629		MERCURY ACETATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1630		MERCURY AMMONIUM CHLORIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1631		MERCURY BENZOATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1634		MERCURY BROMIDES	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1636		MERCURY CYANIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1637		MERCURY GLUCONATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1638		MERCURY IODIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1639		MERCURY NUCLEATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1640		MERCURY OLEATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1641		MERCURY OXIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1642		MERCURY OXYCYANIDE, DESENSITIZED	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1643		MERCURY POTASSIUM IODIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1644		MERCURY SALICYLATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1645		MERCURY SULPHATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1646		MERCURY THIOCYANATE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1648		ACETONITRILE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
1650		beta-NAPHTHYLAMINE, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
1651		NAPHTHYLTHIOUREA	6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted
1652		NAPHTHYLUREA	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
1653		NICKEL CYANIDE	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1654		NICOTINE	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1655		NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 274	P002	30 Kgs G	2	(D/E)	Accepted
1655		NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 274	P002	30 Kgs G	2	(E)	Accepted
1656		NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION		6.1	II	Toxic	43	P001	30 Kgs G	2	(D/E)	Accepted
1656		NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION		6.1	III	Toxic	43	P001	30 Kgs G	2	(E)	Accepted
1657		NICOTINE SALICYLATE		6.1	II	Toxic		P002	30 Kgs G	2	(D/E)	Accepted
1658		NICOTINE SULPHATE, SOLUTION		6.1	II	Toxic		P001	30 Kgs G	2	(D/E)	Accepted
1658		NICOTINE SULPHATE, SOLUTION		6.1	III	Toxic		P001	30 Kgs G	2	(E)	Accepted
1659		NICOTINE TARTRATE		6.1	II	Toxic		P002	30 Kgs G	2	(D/E)	Accepted
1661		NITROANILINES (o-, m-, p-)		6.1	II	Toxic	279	P002	30 Kgs G	2	(D/E)	Accepted
1662		NITROBENZENE		6.1	II	Toxic	279	P001	30 Kgs G	2	(D/E)	Accepted
1663		NITROPHENOLS (o-, m-, p-)		6.1	III	Toxic	279	P002	30 Kgs G	2	(E)	Accepted
1664		NITROTOLUENES, LIQUID		6.1	II	Toxic		P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1665	NITROXYLENES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1669	PENTACHLOROETHANE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1671	PHENOL, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted
1673	PHENYLENEDIAMINES (o-, m-, p-)		6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted
1674	PHENYLMERCURIC ACETATE		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Forbidden
1677	POTASSIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1678	POTASSIUM ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1679	POTASSIUM CUPROCYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1683	SILVER ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1684	SILVER CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1685	SODIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1686	SODIUM ARSENITE, AQUEOUS SOLUTION		6.1	II	Toxic	43		P001	30 Kgs G	2	(D/E)	Forbidden
1686	SODIUM ARSENITE, AQUEOUS SOLUTION		6.1	III	Toxic	43		P001	30 Kgs G	2	(E)	Forbidden
1687	SODIUM AZIDE		6.1	II	Toxic			P002	30 Kgs G	2	(E)	Forbidden
1688	SODIUM CACODYLATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1690	SODIUM FLUORIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1691	STRONTIUM ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1693	TEAR GAS SUBSTANCE, LIQUID, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted
1697	CHLOROACETOPHENONE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
1700	TEAR GAS CANDLES		6.1 (4.1)		Toxic, Flammable Solid			P600	30 Kgs G	2	(E)	Forbidden
1701	XYLYL BROMIDE, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1702	1,1,2,2-TETRACHLOROETHANE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1704	TETRAETHYL DITHIOPYROPHOSPHATE		6.1	II	Toxic	43		P001	30 Kgs G	2	(D/E)	Accepted
1707	THALLIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Forbidden
1708	TOLUIDINES, LIQUID		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted
1709	2,4-TOLUYLENEDIAMINE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1710	TRICHLOROETHYLENE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
1711	XYLIDINES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1712	ZINC ARSENATE, ZINC ARSENITE or ZINC ARSENATE AND ZINC ARSENITE MIXTURE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1715	ACETIC ANHYDRIDE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1716	ACETYL BROMIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1717	ACETYL CHLORIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1718	BUTYL ACID PHOSPHATE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1719	CAUSTIC ALKALI LIQUID, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
1719	CAUSTIC ALKALI LIQUID, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
1723	ALLYL IODIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1724		ALLYLTRICHLOROSILANE, STABILIZED	8 (3)	II	Corrosive, Flammable Liquid	386 676	SP386 not accepted by UPS	P010	30 Kgs G	2	(D/E)	Forbidden
1725		ALUMINIUM BROMIDE, ANHYDROUS	8	II	Corrosive	588		P002	30 Kgs G	2	(E)	Accepted
1726		ALUMINIUM CHLORIDE, ANHYDROUS	8	II	Corrosive	588		P002	30 Kgs G	2	(E)	Accepted
1727		AMMONIUM HYDROGENDIFLUORIDE, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden
1728		AMYLTRICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1729		ANISOYL CHLORIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1730		ANTIMONY PENTACHLORIDE, LIQUID	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1731		ANTIMONY PENTACHLORIDE SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1731		ANTIMONY PENTACHLORIDE SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1732		ANTIMONY PENTAFLUORIDE	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
1733		ANTIMONY TRICHLORIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1736		BENZOYL CHLORIDE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1737		BENZYL BROMIDE	6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1738		BENZYL CHLORIDE	6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1739		BENZYL CHLOROFORMATE	8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
1740		HYDROGENDIFLUORIDES, SOLID, N.O.S.	8	II	Corrosive	517		P002	30 Kgs G	2	(E)	Forbidden
1740		HYDROGENDIFLUORIDES, SOLID, N.O.S.	8	III	Corrosive	517		P002	30 Kgs G	3	(E)	Forbidden
1742		BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1743		BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1747		BUTYLTRICHLOROSILANE	8 (3)	II	Corrosive, Flammable Liquid			P010	30 Kgs G	2	(D/E)	Forbidden
1748		CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	5.1	III	Oxidizer	316		P002	30 Kgs G	3	(E)	Accepted
1750		CHLOROACETIC ACID SOLUTION	6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1751		CHLOROACETIC ACID, SOLID	6.1 (8)	II	Toxic, Corrosive			P002	30 Kgs G	2	(D/E)	Forbidden
1753		CHLOROPHENYL-TRICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1754		CHLOROSULPHONIC ACID (with or without sulphur trioxide)	8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
1755		CHROMIC ACID SOLUTION	8	II	Corrosive	518		P001	30 Kgs G	2	(E)	Accepted
1755		CHROMIC ACID SOLUTION	8	III	Corrosive	518		P001	30 Kgs G	3	(E)	Accepted
1756		CHROMIC FLUORIDE, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden
1757		CHROMIC FLUORIDE SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1757		CHROMIC FLUORIDE SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1758		CHROMIUM OXYCHLORIDE	8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1759	CORROSIVE SOLID, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1759	CORROSIVE SOLID, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
1759	CORROSIVE SOLID, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted
1760	CORROSIVE LIQUID, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
1760	CORROSIVE LIQUID, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
1760	CORROSIVE LIQUID, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
1761	CUPRIETHYLENEDIAMINE SOLUTION		8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
1761	CUPRIETHYLENEDIAMINE SOLUTION		8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden
1762	CYCLOHEXYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1763	CYCLOHEXYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1764	DICHLOROACETIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1765	DICHLOROACETYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1766	DICHLOROPHENYL-TRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1767	DIETHYLDICHLORO-SILANE		8 (3)	II	Corrosive, Flammable Liquid			P010	30 Kgs G	2	(D/E)	Forbidden
1768	DIFLUOROPHOSPHORIC ACID, ANHYDROUS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1769	DIPHENYLDICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1770	DIPHENYLMETHYL BROMIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1771	DODECYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1773	FERRIC CHLORIDE, ANHYDROUS		8	III	Corrosive	590		P002	30 Kgs G	3	(E)	Accepted
1774	FIRE EXTINGUISHER CHARGES, corrosive liquid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1775	FLUOROBORIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1776	FLUOROPHOSPHORIC ACID, ANHYDROUS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1777	FLUOROSULPHONIC ACID		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
1778	FLUOROSILICIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1779	FORMIC ACID with more than 85% acid by mass		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1780	FUMARYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1781	HEXADECYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1782	HEXAFLUORO-PHOSPHORIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1783	HEXAMETHYLENE-DIAMINE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1783	HEXAMETHYLENE-DIAMINE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1784	HEXYLTRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1787	HYDRIODIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1787	HYDRIODIC ACID		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1788	HYDROBROMIC ACID		8	II	Corrosive	519		P001	30 Kgs G	2	(E)	Accepted
1788	HYDROBROMIC ACID		8	III	Corrosive	519		P001	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1789		HYDROCHLORIC ACID	8	II	Corrosive	520		P001	30 Kgs G	2	(E)	Accepted
1789		HYDROCHLORIC ACID	8	III	Corrosive	520		P001	30 Kgs G	3	(E)	Accepted
1790		HYDROFLUORIC ACID with not more than 60% hydrogen fluoride	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
1791		HYPOCHLORITE SOLUTION	8	II	Corrosive	521		P001	30 Kgs G	2	(E)	Accepted
1791		HYPOCHLORITE SOLUTION	8	III	Corrosive	521		P001	30 Kgs G	3	(E)	Accepted
1792		IODINE MONOCHLORIDE, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1793		ISOPROPYL ACID PHOSPHATE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1794		LEAD SULPHATE with more than 3% free acid	8	II	Corrosive	591		P002	30 Kgs G	2	(E)	Forbidden
1796		NITRATING ACID MIXTURE with not more than 50% nitric acid	8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
1799		NONYLTRICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1800		OCTADECYLTRICHLORO-SILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1801		OCTYLTRICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1802		PERCHLORIC ACID with not more than 50% acid, by mass	8 (5.1)	II	Corrosive, Oxidizer	522		P001	30 Kgs G	2	(E)	Forbidden
1803		PHENOLSULPHONIC ACID, LIQUID	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1804		PHENYLTRICHLORO-SILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1805		PHOSPHORIC ACID, SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1806		PHOSPHORUS PENTACHLORIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1807		PHOSPHORUS PENTOXIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1808		PHOSPHORUS TRIBROMIDE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1811		POTASSIUM HYDROGENDIFLUORIDE, SOLID	8 (6.1)	II	Corrosive, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1812		POTASSIUM FLUORIDE, SOLID	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1813		POTASSIUM HYDROXIDE, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1814		POTASSIUM HYDROXIDE SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1814		POTASSIUM HYDROXIDE SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1815		PROPIONYL CHLORIDE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
1816		PROPYLTRICHLORO-SILANE	8 (3)	II	Flammable Liquid			P010	30 Kgs G	2	(D/E)	Forbidden
1817		PYROSULPHURYL CHLORIDE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1818		SILICON TETRACHLORIDE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
1819		SODIUM ALUMINATE SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1819		SODIUM ALUMINATE SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1823		SODIUM HYDROXIDE, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1824		SODIUM HYDROXIDE SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1824		SODIUM HYDROXIDE SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1825		SODIUM MONOXIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1826		NITRATING ACID MIXTURE, SPENT, with not more than 50% nitric acid	8	II	Corrosive	113		P001	30 Kgs G	2	(E)	Forbidden
1827		STANNIC CHLORIDE, ANHYDROUS	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1828	SULPHUR CHLORIDES		8	I	Corrosive			P602	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1829	SULPHUR TRIOXIDE, STABILIZED		8	I	Corrosive	386 623 676	SP386 and SP623 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
1830	SULPHURIC ACID with more than 51% acid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
1832	SULPHURIC ACID, SPENT		8	II	Corrosive	113		P001	30 Kgs G	2	(E)	Forbidden
1833	SULPHUROUS ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
1835	TETRAMETHYL-AMMONIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1835	TETRAMETHYL-AMMONIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1836	THIONYL CHLORIDE		8	I	Corrosive			P802	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1837	THIOPHOSPHORYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1839	TRICHLOROACETIC ACID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1840	ZINC CHLORIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1841	ACETALDEHYDE AMMONIA		9	III	Miscellaneous			P002	30 Kgs G	3	(E)	Forbidden
1843	AMMONIUM DINITRO-o-CRESOLATE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
1845	CARBON DIOXIDE, SOLID (DRY ICE)				May not be regulated by ADR when shipped by UPS Standard (ground) service.							
1846	CARBON TETRACHLORIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1847	POTASSIUM SULPHIDE, HYDRATED with not less than 30% water of crystallization		8	II	Corrosive	523		P002	30 Kgs G	2	(E)	Accepted
1848	PROPIONIC ACID with not less than 10% and less than 90% acid by mass		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1849	SODIUM SULPHIDE, HYDRATED with not less than 30% water		8	II	Corrosive	523		P002	30 Kgs G	2	(E)	Accepted
1851	MEDICINE, LIQUID, TOXIC, N.O.S.		6.1	II	Toxic	221 601		P001	30 Kgs G	2	(D/E)	Accepted
1851	MEDICINE, LIQUID, TOXIC, N.O.S.		6.1	III	Toxic	221 601		P001	30 Kgs G	2	(E)	Accepted
1858	HEXAFLUOROPROPYLENE (REFRIGERANT GAS R 1216)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1860	VINYL FLUORIDE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1862	ETHYL CROTONATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1863	FUEL, AVIATION, TURBINE ENGINE		3	I	Flammable Liquid	664	SP664 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1863	FUEL, AVIATION, TURBINE ENGINE (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1863	FUEL, AVIATION, TURBINE ENGINE (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1863	FUEL, AVIATION, TURBINE ENGINE		3	III	Flammable Liquid	664	SP664 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
1865	n-PROPYL NITRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(E)	Accepted
1866	RESIN SOLUTION, flammable		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1866	RESIN SOLUTION, flammable (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1866	RESIN SOLUTION, flammable (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1866	RESIN SOLUTION, flammable		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1866	RESIN SOLUTION, flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1866	RESIN SOLUTION, flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1868	DECABORANE		4.1 (6.1)	II	Flammable Solid, Toxic			P002	30 Kgs G	2	(E)	Forbidden
1869	MAGNESIUM or MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or ribbons		4.1	III	Flammable Solid	59		P002	30 Kgs G	3	(E)	Accepted
1871	TITANIUM HYDRIDE		4.1	II	Flammable Solid			P410	30 Kgs G	2	(E)	Forbidden
1872	LEAD DIOXIDE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Forbidden
1873	PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass		5.1 (8)	I	Oxidizer, Corrosive	60		P502	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden
1884	BARIUM OXIDE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
1885	BENZIDINE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
1886	BENZYLIDENE CHLORIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
1887	BROMOCHLOROMETHANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
1888	CHLOROFORM		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1891	ETHYL BROMIDE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
1894	PHENYLMERCURIC HYDROXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1895	PHENYLMERCURIC NITRATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
1897	TETRACHLOROETHYLENE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
1898	ACETYL IODIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1902	DIISOCTYL ACID PHOSPHATE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
1905	SELENIC ACID		8	I	Corrosive			P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1906	SLUDGE ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
1907	SODA LIME with more than 4% sodium hydroxide		8	III	Corrosive	62		P002	30 Kgs G	3	(E)	Accepted
1908	CHLORITE SOLUTION		8	II	Corrosive	521		P001	30 Kgs G	2	(E)	Accepted
1908	CHLORITE SOLUTION		8	III	Corrosive	521		P001	30 Kgs G	3	(E)	Accepted
1910	CALCIUM OXIDE				May not be regulated by ADR when shipped by UPS Standard (ground) service.							
1912	METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE		2.1		Flammable Gas	228 662		P200	30 Kgs G	2	(B/D)	Forbidden
1914	BUTYL PROPIONATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1915	CYCLOHEXANONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1916	2,2'-DICHLORODIETHYL ETHER		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
1917	ETHYL ACRYLATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
1918	ISOPROPYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1919	METHYL ACRYLATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
1920	NONANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1921	PROPYLENEIMINE, STABILIZED		3 (6.1)	I	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1922	PYRROLIDINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1923		CALCIUM DITHIONITE (CALCIUM HYDROSULPHITE)	4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden
1929		POTASSIUM DITHIONITE (POTASSIUM HYDROSULPHITE)	4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden
1931		ZINC DITHIONITE (ZINC HYDROSULPHITE)	9	III	Miscellaneous			P002	30 Kgs G	3	(E)	Accepted
1932		ZIRCONIUM SCRAP	4.2	III	Spontaneously Combustible	524 592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden
1935		CYANIDE SOLUTION, N.O.S.	Yes	6.1	II	Toxic	274 525	P001	30 Kgs G	2	(D/E)	Forbidden
1935		CYANIDE SOLUTION, N.O.S.	Yes	6.1	III	Toxic	274 525	P001	30 Kgs G	2	(E)	Forbidden
1938		BROMOACETIC ACID SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1938		BROMOACETIC ACID SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
1939		PHOSPHORUS OXYBROMIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
1940		THIOGLYCOLIC ACID	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
1941		DIBROMODIFLUORO-METHANE	9	III	Miscellaneous			P001	30 Kgs G	3	(E)	Accepted
1942		AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	5.1	III	Oxidizer	306 611	SP611 not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden
1944		MATCHES, SAFETY (book, card or strike on box)	4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted
1945		MATCHES, WAX 'VESTA'	4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted
1950		AEROSOLS, flammable	2.1		Flammable Gas	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G	2	(D)	Accepted
1950		AEROSOLS, flammable, corrosive	2.1 (8)		Flammable Gas, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
1950		AEROSOLS, toxic, flammable	2.1 (6.1)		Flammable Gas, Toxic	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
1950		AEROSOLS, toxic, flammable, corrosive	2.1 (6.1, 8)		Flammable Gas, Toxic, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
1950		AEROSOLS, asphyxiant	2.2		Non-Flammable Gas	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1950	AEROSOLS, oxidizing		2.2 (5.1)		Non-Flammable Gas, Oxidizer	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G	3	(E)	Accepted
1950	AEROSOLS, corrosive, oxidizing		2.2 (5.1, 8)		Non-Flammable Gas, Oxidizer, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
1950	AEROSOLS, corrosive		2.2 (8)		Non-Flammable Gas, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(E)	Accepted
1950	AEROSOLS, toxic, oxidizing		2.2 (5.1, 6.1)		Non-Flammable Gas, Oxidizer, Toxic	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
1950	AEROSOLS, toxic, oxidizing, corrosive		2.2 (5.1, 6.1, 8)		Non-Flammable Gas, Oxidizer, Toxic, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
1950	AEROSOLS, toxic		2.2 (6.1)		Non-Flammable Gas, Toxic	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Accepted
1950	AEROSOLS, toxic, corrosive		2.2 (6.1, 8)		Non-Flammable Gas, Toxic, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
1952	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted
1954	COMPRESSED GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 392 662		P200	30 Kgs G	2	(B/D)	Forbidden
1956	COMPRESSED GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274 378 392 655 662		P200	30 Kgs G	3	(E)	Accepted
1957	DEUTERIUM, COMPRESSED		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1958	1,2-DICHLORO-1,1,2,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 114)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1959	1,1-DIFLUOROETHYLENE (REFRIGERANT GAS R 1132a)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1962	ETHYLENE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
1964	HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S.	Yes	2.1		Flammable Gas	274 662		P200	30 Kgs G	2	(B/D)	Forbidden
1965	HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. such as mixtures A, A01, A02, A0, A1, B1, B2, B or C	Yes	2.1		Flammable Gas	274 392 583 652 662 674	SP652 Not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1968	INSECTICIDE GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274 662		P200	30 Kgs G	3	(C/E)	Accepted
1969	ISOBUTANE		2.1		Flammable Gas	392 657 662		P200	30 Kgs G	2	(B/D)	Forbidden
1971	METHANE, COMPRESSED or NATURAL GAS, COMPRESSED with high methane content		2.1		Flammable Gas	392 662		P200	30 Kgs G	2	(B/D)	Forbidden
1973	CHLORODIFLUORO-METHANE AND CHLOROPENTAFLUORO-ETHANE MIXTURE with fixed boiling point, with approximately 49% chlorodifluoromethane (REFRIGERANT GAS R 502)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1974	CHLORODIFLUOROBROMO-METHANE (REFRIGERANT GAS R 12B1)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1976	OCTAFLUOROCYCLO-BUTANE (REFRIGERANT GAS RC 318)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1978	PROPANE		2.1		Flammable Gas	392 652 657 662 664	SP652 Not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
1982	TETRAFLUOROMETHANE (REFRIGERANT GAS R 14)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1983	1-CHLORO-2,2,2-TRIFLUOROETHANE (REFRIGERANT GAS R 133a)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1984	TRIFLUOROMETHANE (REFRIGERANT GAS R 23)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden
1987	ALCOHOLS, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1987	ALCOHOLS, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1987	ALCOHOLS, N.O.S.	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(D/E)	Accepted
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden
1989	ALDEHYDES, N.O.S.	Yes	3	I	Flammable Liquid	274		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
1989	ALDEHYDES, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1989	ALDEHYDES, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1989	ALDEHYDES, N.O.S.	Yes	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted
1990	BENZALDEHYDE		9	III	Miscellaneous			P001	30 Kgs G	3	(E)	Accepted
1991	CHLOROPRENE, STABILIZED		3 (6.1)	I	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden
1993	FLAMMABLE LIQUID, N.O.S.	Yes	3	I	Flammable Liquid	274		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
1993	FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1993	FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1993	FLAMMABLE LIQUID, N.O.S.	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(D/E)	Accepted
1993	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(E)	Accepted
1993	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(E)	Accepted
1999	TARS, LIQUID, including road oils, and cutback bitumens (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1999	TARS, LIQUID, including road oils, and cutback bitumens (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
1999	TARS, LIQUID, including road oils, and cutback bitumens		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
1999	TARS, LIQUID, including road oils, and cutback bitumens (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
1999	TARS, LIQUID, including road oils, and cutback bitumens (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted
2000	CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap		4.1	III	Flammable Solid	383 502		P002	30 Kgs G	3	(E)	Accepted
2001	COBALT NAPHTHENATES, POWDER		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2002	CELLULOID, SCRAP		4.2	III	Spontaneously Combustible	526 592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden
2004	MAGNESIUM DIAMIDE		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden
2006	PLASTICS, NITROCELLULOSE-BASED, SELF-HEATING, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274 528		P002	30 Kgs G	3	(E)	Forbidden
2008	ZIRCONIUM POWDER, DRY		4.2	II	Spontaneously Combustible	524 540		P410	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2008	ZIRCONIUM POWDER, DRY		4.2	III	Spontaneously Combustible	524 540		P002	30 Kgs G	3	(E)	Forbidden
2009	ZIRCONIUM, DRY, finished sheets, strip or coiled wire		4.2	III	Spontaneously Combustible	524 592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden
2015	HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 70% hydrogen peroxide		5.1 (8)	I	Oxidizer, Corrosive	640N	SP640 not applicable to UPS	P501	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden
2015	HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide and not more than 70% hydrogen peroxide		5.1 (8)	I	Oxidizer, Corrosive	640O	SP640 not applicable to UPS	P501	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden
2018	CHLOROANILINES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2019	CHLOROANILINES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2020	CHLOROPHENOLS, SOLID		6.1	III	Toxic	205		P002	30 Kgs G	2	(E)	Accepted
2021	CHLOROPHENOLS, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2022	CRESYLIC ACID		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2023	EPICHLOROHYDRIN		6.1 (3)	II	Toxic, Flammable Liquid	279		P001	30 Kgs G	2	(D/E)	Forbidden
2024	MERCURY COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Forbidden
2024	MERCURY COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Forbidden
2025	MERCURY COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 66 274 529		P002	30 Kgs G	2	(D/E)	Forbidden
2025	MERCURY COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 66 274 529		P002	30 Kgs G	2	(E)	Forbidden
2026	PHENYLMERCURIC COMPOUND, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Forbidden
2026	PHENYLMERCURIC COMPOUND, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Forbidden
2027	SODIUM ARSENITE, SOLID		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Forbidden
2028	BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device		8	II	Corrosive			P803	30 Kgs G	2	(E)	Accepted
2029	HYDRAZINE, ANHYDROUS		8 (3, 6.1)	I	Corrosive, Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
2030	HYDRAZINE AQUEOUS SOLUTION, with more than 37% hydrazine by mass		8 (6.1)	I	Corrosive, Toxic	530		P001	30 Kgs G and 10 Litres net per package.	1	(C/D)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2030		HYDRAZINE AQUEOUS SOLUTION, with more than 37% hydrazine by mass	8 (6.1)	II	Corrosive, Toxic	530		P001	30 Kgs G	2	(E)	Forbidden
2030		HYDRAZINE AQUEOUS SOLUTION, with more than 37% hydrazine by mass	8 (6.1)	III	Corrosive, Toxic	530		P001	30 Kgs G	3	(E)	Forbidden
2031		NITRIC ACID, other than red fuming, with less than 65% nitric acid	8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
2031		NITRIC ACID, other than red fuming, with at least 65%, but not more than 70% nitric acid	8 (5.1)	II	Corrosive, Oxidizer			P001	30 Kgs G	2	(E)	Forbidden
2033		POTASSIUM MONOXIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2034		HYDROGEN AND METHANE MIXTURE, COMPRESSED	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2035		1,1,1-TRIFLUOROETHANE (REFRIGERANT GAS R 143a)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2036		XENON	2.2		Non-Flammable Gas	378 392 662		P200	30 Kgs G	3	(C/E)	Accepted
2037		RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable	2.1		Flammable Gas	191 303 327 344	SP327 Not accepted by UPS	P003	30 Kgs G	2	(D)	Accepted
2037		RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable	2.2		Non-Flammable Gas	191 303 327 344	SP327 Not accepted by UPS	P003	30 Kgs G	3	(E)	Accepted
2037		RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable	2.2 (5.1)		Non-Flammable Gas, Oxidizer	191 303 327 344	SP327 Not accepted by UPS	P003	30 Kgs G	3	(E)	Accepted
2038		DINITROTOLUENES, LIQUID	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2044		2,2-DIMETHYLPROPANE	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2045		ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE)	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2046		CYMENES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2047		DICHLOROPROPENES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2047		DICHLOROPROPENES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2048		DICYCLOPENTADIENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2049		DIETHYLBENZENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2050		DIISOBUTYLENE, ISOMERIC COMPOUNDS	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2051		2-DIMETHYLAMINO-ETHANOL	8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2052		DIPENTENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2053		METHYL ISOBUTYL CARBINOL	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2055		STYRENE MONOMER, STABILIZED	3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2056	TETRAHYDROFURAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2057	TRIPROPYLENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2057	TRIPROPYLENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2058	VALERALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2067	AMMONIUM NITRATE BASED FERTILIZER		5.1	III	Oxidizer	306 307		P002	30 Kgs G	3	(E)	Forbidden
2071	AMMONIUM NITRATE BASED FERTILIZER				May not be regulated by ADR when shipped by UPS Standard (ground) service.	193						Accepted
2073	AMMONIA SOLUTION, relative density less than 0.880 at 15 °C in water, with more than 35% but not more than 50% ammonia		2.2		Non-Flammable Gas	532		P200	30 Kgs G	3	(E)	Forbidden
2074	ACRYLAMIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2075	CHLORAL, ANHYDROUS, STABILIZED		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2076	CRESOLS, LIQUID		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2077	alpha-NAPHTHYLAMINE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2078	TOLUENE DIISOCYANATE		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted
2079	DIETHYLENETRIAMINE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2193	HEXAFLUOROETHANE (REFRIGERANT GAS R 116)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
2200	PROPADIENE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden
2205	ADIPONITRILE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2206	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274 551		P001	30 Kgs G	2	(D/E)	Accepted
2206	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274 551		P001	30 Kgs G	2	(E)	Accepted
2209	FORMALDEHYDE SOLUTION with not less than 25% formaldehyde		8	III	Corrosive	533		P001	30 Kgs G	3	(E)	Accepted
2211	POLYMERIC BEADS, EXPANDABLE, evolving flammable vapour		9	III	May not be regulated by ADR when shipped by UPS Standard (ground) service.	633 675	SP633 Not accepted by UPS					Accepted
2213	PARAFORMALDEHYDE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2214	PHTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride		8	III	Corrosive	169		P002	30 Kgs G	3	(E)	Accepted
2215	MALEIC ANHYDRIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2217	SEED CAKE with not more than 1.5% oil and not more than 11% moisture		4.2	III	Spontaneously Combustible	142		P002	30 Kgs G	3	(E)	Forbidden

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2218	ACRYLIC ACID, STABILIZED		8 (3)	II	Corrosive, Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden
2219	ALLYL GLYCIDYL ETHER		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2222	ANISOLE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2224	BENZONITRILE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2225	BENZENESULPHONYL CHLORIDE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2226	BENZOTRICHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2227	n-BUTYL METHACRYLATE, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
2233	CHLOROANISIDINES		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2234	CHLOROBENZOTRI-FLUORIDES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2235	CHLOROBENZYL CHLORIDES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2236	3-CHLORO-4-METHYLPHENYL ISOCYANATE, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2237	CHLORONITROANILINES		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2238	CHLOROTOLUENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2239	CHLOROTOLUIDINES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2240	CHROMOSULPHURIC ACID		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
2241	CYCLOHEPTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2242	CYCLOHEPTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2243	CYCLOHEXYL ACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2244	CYCLOPENTANOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2245	CYCLOPENTANONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2246	CYCLOPENTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2247	n-DECANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2248	DI-n-BUTYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2250	DICHLOROPHENYL ISOCYANATES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2251	BICYCLO[2.2.1]HEPTA-2,5-DIENE, STABILIZED (2,5-NORBORNADIENE, STABILIZED)		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
2252	1,2-DIMETHOXYETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2253	N,N-DIMETHYLANILINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2254	MATCHES, FUSEE		4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted
2256	CYCLOHEXENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2258	1,2-PROPYLENEDIAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2259	TRIETHYLENETETRAMINE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2260	TRIPROPYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
2261	XYLENOLS, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2262	DIMETHYLCARBAMOYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2263	DIMETHYL-CYCLOHEXANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2264		N,N-DIMETHYL-CYCLOHEXYLAMINE	8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2265		N,N-DIMETHYL-FORMAMIDE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2266		DIMETHYL-N-PROPYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2267		DIMETHYL THIOPHOSPHORYL CHLORIDE	6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2269		3,3'-IMINODIPROPYLAMINE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2270		ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2271		ETHYL AMYL KETONE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2272		N-ETHYLANILINE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2273		2-ETHYLANILINE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2274		N-ETHYL-N-BENZYLANILINE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2275		2-ETHYLBUTANOL	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2276		2-ETHYLHEXYLAMINE	3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
2277		ETHYL METHACRYLATE, STABILIZED	3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
2278		n-HEPTENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2279		HEXACHLOROBUTADIENE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2280		HEXAMETHYLENE-DIAMINE, SOLID	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2281		HEXAMETHYLENE DIISOCYANATE	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2282		HEXANOLS	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2283		ISOBUTYL METHACRYLATE, STABILIZED	3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
2284		ISOBUTYRONITRILE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2285		ISOCYANATO BENZO-TRIFLUORIDES	6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2286		PENTAMETHYLHEPTANE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2287		ISOHEPTENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2288		ISOHEXENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2289		ISOPHORONEDIAMINE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2290		ISOPHORONE DIISOCYANATE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2291		LEAD COMPOUND, SOLUBLE, N.O.S.	6.1	III	Toxic	199 274 535		P002	30 Kgs G	2	(E)	Accepted
2293		4-METHOXY-4-METHYLPENTAN-2-ONE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2294		N-METHYLANILINE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2296		METHYLCYCLOHEXANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2297		METHYLCYCLO-HEXANONE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2298		METHYLCYCLOPENTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2299		METHYL DICHLOROACETATE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2300		2-METHYL-5-ETHYLPYRIDINE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2301		2-METHYLFURAN	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2302		5-METHYLHEXAN-2-ONE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2303		ISOPROPENYLBENZENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2305		NITROBENZENE-SULPHONIC ACID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2306		NITROBENZOTRI-FLUORIDES, LIQUID	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2307		3-NITRO-4-CHLORO-BENZOTRIFLUORIDE	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2308		NITROSYLSULPHURIC ACID, LIQUID	8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
2309		OCTADIENES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2310		PENTANE-2,4-DIONE	3 (6.1)	III	Flammable Liquid, Toxic			P001	30 Kgs G	3	(D/E)	Forbidden
2311		PHENETIDINES	6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted
2313		PICOLINES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2318		SODIUM HYDROSULPHIDE with less than 25% water of crystallization	4.2	II	Spontaneously Combustible	504		P410	30 Kgs G	2	(D/E)	Forbidden
2319		TERPENE HYDROCARBONS, N.O.S.	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2320		TETRAETHYLENE-PENTAMINE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2321		TRICHLOROBENZENES, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2322		TRICHLOROBUTENE	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2323		TRIETHYL PHOSPHITE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2324		TRIIISOBUTYLENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2325		1,3,5-TRIMETHYLBENZENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2326		TRIMETHYLCYCLO-HEXYLAMINE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2327		TRIMETHYLHEXA-METHYLENEDIAMINES	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2328		TRIMETHYLHEXA-METHYLENE DIISOCYANATE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2329		TRIMETHYL PHOSPHITE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2330		UNDECANE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2331		ZINC CHLORIDE, ANHYDROUS	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2332		ACETALDEHYDE OXIME	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2333		ALLYL ACETATE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2335		ALLYL ETHYL ETHER	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2336		ALLYL FORMATE	3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2338		BENZOTRIFLUORIDE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2339		2-BROMOBUTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2340		2-BROMOETHYL ETHYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2341		1-BROMO-3-METHYLBUTANE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2342		BROMOMETHYL-PROPANES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2343		2-BROMOPENTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2344		BROMOPROPANES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2344		BROMOPROPANES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2345		3-BROMOPROPYNE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2346	BUTANEDIONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2347	BUTYL MERCAPTAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2348	BUTYL ACRYLATES, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
2350	BUTYL METHYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2351	BUTYL NITRITES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2351	BUTYL NITRITES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2352	BUTYL VINYL ETHER, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
2353	BUTYRYL CHLORIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2354	CHLOROMETHYL ETHYL ETHER		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2356	2-CHLOROPROPANE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2357	CYCLOHEXYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2358	CYCLOOCTATETRAENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2359	DIALLYLAMINE		3 (6.1, 8)	II	Flammable Liquid, Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2360	DIALLYL ETHER		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2361	DIISOBUTYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
2362	1,1-DICHLOROETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2363	ETHYL MERCAPTAN		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2364	n-PROPYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2366	DIETHYL CARBONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2367	alpha-METHYL-VALERALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2368	alpha-PINENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2370	1-HEXENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2371	ISOPENTENES		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2372	1,2-DI-(DIMETHYLAMINO) ETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2373	DIETHOXYMETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2374	3,3-DIETHOXYPROPENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2375	DIETHYL SULPHIDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2376	2,3-DIHYDROPYRAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2377	1,1-DIMETHOXYETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2378		2-DIMETHYLAMINO-ACETONITRILE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2379		1,3-DIMETHYLBUTYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2380		DIMETHYLDIETHOXY-SILANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2381		DIMETHYL DISULPHIDE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2383		DIPROPYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2384		DI-n-PROPYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2385		ETHYL ISOBUTYRATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2386		1-ETHYLPYPERIDINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2387		FLUOROBENZENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2388		FLUOROTOLUENES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2389		FURAN	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2390		2-IODOBUTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2391		IODOMETHYLPROPANES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2392		IODOPROPANES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2393		ISOBUTYL FORMATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2394		ISOBUTYL PROPIONATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2395		ISOBUTYRYL CHLORIDE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2396		METHACRYLALDEHYDE, STABILIZED	3 (6.1)	II	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden
2397		3-METHYLBUTAN-2-ONE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2398		METHYL tert-BUTYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2399		1-METHYLPYPERIDINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2400		METHYL ISOVALERATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2402		PROPANETHIOLS	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2403		ISOPROPENYL ACETATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2404		PROPIONITRILE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2405		ISOPROPYL BUTYRATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2406		ISOPROPYL ISOBUTYRATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2409		ISOPROPYL PROPIONATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2410		1,2,3,6-TETRAHYDROPYRIDINE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2411		BUTYRONITRILE	3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2412		TETRAHYDROTHIOPHENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2413		TETRAPROPYL ORTHOTITANATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2414		THIOPHENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2416		TRIMETHYL BORATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2419		BROMOTRIFLUORO-ETHYLENE	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2422		OCTAFLUOROBUT-2-ENE (REFRIGERANT GAS R 1318)	2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
2424		OCTAFLUOROPROPANE (REFRIGERANT GAS R 218)	2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
2427		POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted
2427		POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted
2428		SODIUM CHLORATE, AQUEOUS SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted
2428		SODIUM CHLORATE, AQUEOUS SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted
2429		CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted
2429		CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted
2430		ALKYLPHENOLS, SOLID, N.O.S. (including C <sub>2</sub> -C <sub>12</sub> homologues)	8	I	Corrosive			P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
2430		ALKYLPHENOLS, SOLID, N.O.S. (including C <sub>2</sub> -C <sub>12</sub> homologues)	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2430		ALKYLPHENOLS, SOLID, N.O.S. (including C <sub>2</sub> -C <sub>12</sub> homologues)	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2431		ANISIDINES	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2432		N,N-DIETHYLANILINE	6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted
2433		CHLORONITROTOLUENES, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2434		DIBENZYL-DICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
2435		ETHYLPHENYL-DICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
2436		THIOACETIC ACID	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2437		METHYLPHENYL-DICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted
2439		SODIUM HYDROGENDIFLUORIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden
2440		STANNIC CHLORIDE PENTAHYDRATE	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2443		VANADIUM OXYTRICHLORIDE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2444		VANADIUM TETRACHLORIDE	8	I	Corrosive			P802	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
2446		NITROCRESOLS, SOLID	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2451		NITROGEN TRIFLUORIDE	2.2 (5.1)		Non-Flammable Gas, Oxidizer	662		P200	30 Kgs G	3	(C/E)	Accepted
2452		ETHYLACETYLENE, STABILIZED	2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2453		ETHYL FLUORIDE (REFRIGERANT GAS R 161)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2454		METHYL FLUORIDE (REFRIGERANT GAS R 41)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2456		2-CHLOROPROPENE	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2457		2,3-DIMETHYLBUTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2458		HEXADIENES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2459		2-METHYL-1-BUTENE	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2460		2-METHYL-2-BUTENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2461		METHYLPENTADIENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2464		BERYLLIUM NITRATE	5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
2465		DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS	5.1	II	Oxidizer	135		P002	30 Kgs G	2	(E)	Accepted
2466		POTASSIUM SUPEROXIDE	5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
2468		TRICHLOROISOCYANURIC ACID, DRY	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
2469		ZINC BROMATE	5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2470		PHENYLACETONITRILE, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2473		SODIUM ARSANILATE	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Forbidden
2475		VANADIUM TRICHLORIDE	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2478		ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274 539	P001	30 Kgs G	2	(D/E)	Forbidden
2478		ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274	P001	30 Kgs G	3	(D/E)	Forbidden
2490		DICHLOROISOPROPYL ETHER	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2491		ETHANOLAMINE or ETHANOLAMINE SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2493		HEXAMETHYLENIMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2495		IODINE PENTAFLUORIDE	5.1 (6.1, 8)	I	Oxidizer, Toxic, Corrosive			P200	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden
2496		PROPIONIC ANHYDRIDE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2498		1,2,3,6-TETRAHYDROBENZAL-DEHYDE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2501		TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2501		TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2502		VALERYL CHLORIDE	8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2503		ZIRCONIUM TETRACHLORIDE	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2504		TETRABROMOETHANE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2505		AMMONIUM FLUORIDE	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2506		AMMONIUM HYDROGEN SULPHATE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2507		CHLOROPLATINIC ACID, SOLID	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2508		MOLYBDENUM PENTACHLORIDE	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2509		POTASSIUM HYDROGEN SULPHATE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2511		2-CHLOROPROPIONIC ACID	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2512		AMINOPHENOLS (o-, m-, p-)	6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted
2513		BROMOACETYL BROMIDE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2514		BROMOBENZENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2515		BROMOFORM	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2516		CARBON TETRABROMIDE	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2517		1-CHLORO-1,1-DIFLUOROETHANE (REFRIGERANT GAS R 142b)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2518		1,5,9-CYCLODODECATRIENE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2520		CYCLOOCTADIENES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2522		2-DIMETHYLAMINOETHYL METHACRYLATE, STABILIZED	6.1	II	Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
2524		ETHYL ORTHOFORMATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2525		ETHYL OXALATE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2526		FURFURYLAMINE	3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
2527		ISOBUTYL ACRYLATE, STABILIZED	3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
2528		ISOBUTYL ISOBUTYRATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2529		ISOBUTYRIC ACID	3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
2531		METHACRYLIC ACID, STABILIZED	8	II	Corrosive	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(E)	Accepted
2533		METHYL TRICHLOROACETATE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2535		4-METHYLMORPHOLINE (N-METHYLMORPHOLINE)	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2536		METHYLTETRAHYDRO-FURAN	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2538		NITRONAPHTHALENE	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2541		TERPINOLENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2542		TRIBUTYLAMINE	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2545		HAFNIUM POWDER, DRY	4.2	II	Spontaneously Combustible	540		P410	30 Kgs G	2	(D/E)	Forbidden
2545		HAFNIUM POWDER, DRY	4.2	III	Spontaneously Combustible	540		P002	30 Kgs G	3	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2546	TITANIUM POWDER, DRY		4.2	II	Spontaneously Combustible	540		P410	30 Kgs G	2	(D/E)	Forbidden
2546	TITANIUM POWDER, DRY		4.2	III	Spontaneously Combustible	540		P002	30 Kgs G	3	(E)	Forbidden
2547	SODIUM SUPEROXIDE		5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
2552	HEXAFLUOROACETONE HYDRATE, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2554	METHYLALYL CHLORIDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2560	2-METHYLPENTAN-2-OL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2561	3-METHYL-1-BUTENE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2564	TRICHLOROACETIC ACID SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2564	TRICHLOROACETIC ACID SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2565	DICYCLOHEXYLAMINE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2567	SODIUM PENTACHLOROPHENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2570	CADMIUM COMPOUND	Yes	6.1	II	Toxic	274 596		P002	30 Kgs G	2	(D/E)	Accepted
2570	CADMIUM COMPOUND	Yes	6.1	III	Toxic	274 596		P002	30 Kgs G	2	(E)	Accepted
2571	ALKYLSULPHURIC ACIDS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2572	PHENYLHYDRAZINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2573	THALLIUM CHLORATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
2574	TRICRESYL PHOSPHATE with more than 3% ortho isomer		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2577	PHENYLACETYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2578	PHOSPHORUS TRIOXIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2579	PIPERAZINE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2580	ALUMINIUM BROMIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2581	ALUMINIUM CHLORIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2582	FERRIC CHLORIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2583	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid		8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden
2584	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
2585	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2586	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2587	BENZOQUINONE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2589	VINYL CHLOROACETATE		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2599	CHLOROTRIFLUORO-METHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane (REFRIGERANT GAS R 503)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
2601	CYCLOBUTANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
2602	DICHLORODIFLUORO-METHANE AND 1,1-DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichlorodifluoromethane (REFRIGERANT GAS R 500)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
2603	CYCLOHEPTATRIENE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2607	ACROLEIN DIMER, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
2608	NITROPROPANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2609	TRIALLYL BORATE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2610	TRIALLYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden
2611	PROPYLENE CHLOROHYDRIN		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2612	METHYL PROPYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2614	METHALLYL ALCOHOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2615	ETHYL PROPYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2616	TRIIISOPROPYL BORATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2616	TRIIISOPROPYL BORATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2617	METHYLCYCLO-HEXANOLS, flammable		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2618	VINYLTOLUENES, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
2619	BENZYLDIMETHYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2620	AMYL BUTYRATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2621	ACETYL METHYL CARBINOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2622	GLYCIDALDEHYDE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2623	FIRELIGHTERS, SOLID with flammable liquid		4.1	III	Flammable Solid			P002	30 Kgs G	4	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2626	CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid		5.1	II	Oxidizer	613		P504	30 Kgs G	2	(E)	Forbidden
2627	NITRITES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	103 274		P002	30 Kgs G	2	(E)	Accepted
2643	METHYL BROMOACETATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2645	PHENACYL BROMIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2647	MALONONITRILE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2648	1,2-DIBROMOBUTAN-3-ONE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2649	1,3-DICHLOROACETONE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2650	1,1-DICHLORO-1-NITROETHANE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2651	4,4'-DIAMINODIPHENYL-METHANE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2653	BENZYL IODIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2655	POTASSIUM FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2656	QUINOLINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2657	SELENIUM DISULPHIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden
2659	SODIUM CHLOROACETATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2660	NITROTOLUIDINES (MONO)		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2661	HEXACHLOROACETONE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2664	DIBROMOMETHANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2667	BUTYLTOLUENES		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2669	CHLOROCRESOLS SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2669	CHLOROCRESOLS SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2670	CYANURIC CHLORIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2671	AMINOPYRIDINES (o-, m-, p-)		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2672	AMMONIA SOLUTION, relative density between 0.880 and 0.957 at 15 °C in water, with more than 10% but not more than 35% ammonia		8	III	Corrosive	543		P001	30 Kgs G	3	(E)	Accepted
2673	2-AMINO-4-CHLOROPHENOL		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2674	SODIUM FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2677	RUBIDIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2677	RUBIDIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2678	RUBIDIUM HYDROXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2679	LITHIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2679	LITHIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2680	LITHIUM HYDROXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2681	CAESIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2681	CAESIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2682	CAESIUM HYDROXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2683	AMMONIUM SULPHIDE SOLUTION		8 (3, 6.1)	II	Corrosive, Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
2684	3-DIETHYLAMINOPROPYL-AMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2685	N,N-DIETHYLETHYLENE-DIAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2686	2-DIETHYLAMINO-ETHANOL		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2687	DICYCLOHEXYL-AMMONIUM NITRITE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2688	1-BROMO-3-CHLOROPROPANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2689	GLYCEROL alpha-MONOCHLOROHYDRIN		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2690	N,n-BUTYLIMIDAZOLE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2691	PHOSPHORUS PENTABROMIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2693	BISULPHITES, AQUEOUS SOLUTION, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
2698	TETRAHYDROPHTHALIC ANHYDRIDES with more than 0.05% of maleic anhydride		8	III	Corrosive	169		P002	30 Kgs G	3	(E)	Accepted
2699	TRIFLUOROACETIC ACID		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
2705	1-PENTOL		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2707	DIMETHYLDIOXANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
2707	DIMETHYLDIOXANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2709	BUTYLBENZENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2710	DIPROPYL KETONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2713	ACRIDINE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2714	ZINC RESINATE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2715	ALUMINIUM RESINATE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2716	1,4-BUTYNEDIOL		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2717	CAMPHOR, synthetic		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2719	BARIUM BROMATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
2720	CHROMIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2721	COPPER CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
2722	LITHIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2723	MAGNESIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
2724	MANGANESE NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2725	NICKEL NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2726	NICKEL NITRITE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2727	THALLIUM NITRATE		6.1 (5.1)	II	Toxic, Oxidizer			P002	30 Kgs G	2	(D/E)	Forbidden
2728	ZIRCONIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
2729	HEXACHLOROENZENE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2730	NITROANISOLE, LIQUID		6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted
2732	NITROBROMOBENZENES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2733	AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	Yes	3 (8)	I	Flammable Liquid, Corrosive	274 544		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2733	AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	Yes	3 (8)	II	Flammable Liquid, Corrosive	274 544		P001	30 Kgs G	2	(D/E)	Forbidden
2733	AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	Yes	3 (8)	III	Flammable Liquid, Corrosive	274 544		P001	30 Kgs G	3	(D/E)	Forbidden
2734	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	Yes	8 (3)	II	Corrosive, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden
2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
2738	N-BUTYLANILINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2739	BUTYRIC ANHYDRIDE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2741	BARIUM HYPOCHLORITE with more than 22% available chlorine		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden
2742	CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	Yes	6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive	274 561		P001	30 Kgs G	2	(D/E)	Forbidden
2744	CYCLOBUTYL CHLOROFORMATE		6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2745	CHLOROMETHYL CHLOROFORMATE		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2746	PHENYL CHLOROFORMATE		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2747	tert-BUTYLCYCLOHEXYL CHLOROFORMATE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2748	2-ETHYLHEXYL CHLOROFORMATE		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2749	TETRAMETHYLSILANE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
2750	1,3-DICHLOROPROPANOL-2		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2751	DIETHYLTHIO-PHOSPHORYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2752	1,2-EPOXY-3-ETHOXYPROPANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2753	N-ETHYLBENZYL-TOLUIDINES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2754	N-ETHYLTOLUIDINES		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
2784	ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2784	ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2785	4-THIAPENTANAL		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2787	ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2787	ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted
2789	ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
2790	ACETIC ACID SOLUTION, not less than 50% but not more than 80% acid, by mass		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2790	ACETIC ACID SOLUTION, more than 10% and less than 50% acid, by mass		8	III	Corrosive	597 647		P001	30 Kgs G	3	(E)	Accepted
2793	FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS in a form liable to self-heating		4.2	III	Spontaneously Combustible	592	SP592 Not accepted by UPS	P003	30 Kgs G	3	(E)	Forbidden
2794	BATTERIES, WET, FILLED WITH ACID, electric storage		8		Corrosive	295 598	SP598 Not accepted by UPS	P801	30 Kgs G	3	(E)	Accepted
2795	BATTERIES, WET, FILLED WITH ALKALI, electric storage		8		Corrosive	295 598	SP598 Not accepted by UPS	P801	30 Kgs G	3	(E)	Accepted
2796	SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
2797	BATTERY FLUID, ALKALI		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2798	PHENYLPHOSPHORUS DICHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2799	PHENYLPHOSPHORUS THIODICHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
2800	BATTERIES, WET, NON-SPILLABLE, electric storage		8		Corrosive	238 295 598	SP598 Not accepted by UPS	P003	30 Kgs G	3	(E)	Accepted
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
2802	COPPER CHLORIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2803	GALLIUM		8	III	Corrosive			P800	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2807		MAGNETIZED MATERIAL			May not be regulated by ADR when shipped by UPS Standard (ground) service.							
2809		MERCURY	8 (6.1)	III	Corrosive, Toxic	365		P800	30 Kgs G	3	(E)	Forbidden
2810		TOXIC LIQUID, ORGANIC, N.O.S.	6.1	II	Toxic	274 614		P001	30 Kgs G	2	(D/E)	Accepted
2810		TOXIC LIQUID, ORGANIC, N.O.S.	6.1	III	Toxic	274 614		P001	30 Kgs G	2	(E)	Accepted
2811		TOXIC SOLID, ORGANIC, N.O.S.	6.1	II	Toxic	274 614		P002	30 Kgs G	2	(D/E)	Accepted
2811		TOXIC SOLID, ORGANIC, N.O.S.	6.1	III	Toxic	274 614		P002	30 Kgs G	2	(E)	Accepted
2815		N-AMINOETHYLPIPERAZINE	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden
2817		AMMONIUM HYDROGENDIFLUORIDE SOLUTION	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
2817		AMMONIUM HYDROGENDIFLUORIDE SOLUTION	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden
2818		AMMONIUM POLYSULPHIDE SOLUTION	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
2818		AMMONIUM POLYSULPHIDE SOLUTION	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden
2819		AMYL ACID PHOSPHATE	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2820		BUTYRIC ACID	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2821		PHENOL SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2821		PHENOL SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2822		2-CHLOROPYRIDINE	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2823		CROTONIC ACID, SOLID	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2829		CAPROIC ACID	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2831		1,1,1-TRICHLOROETHANE	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2834		PHOSPHOROUS ACID	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2837		BISULPHATES, AQUEOUS SOLUTION	8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
2837		BISULPHATES, AQUEOUS SOLUTION	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2838		VINYL BUTYRATE, STABILIZED	3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
2839		ALDOL	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2840		BUTYRALDOXIME	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2841		DI-n-AMYLAMINE	3 (6.1)	III	Flammable Liquid, Toxic			P001	30 Kgs G	3	(D/E)	Forbidden
2842		NITROETHANE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2849		3-CHLOROPROPANOL-1	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2850		PROPYLENE TETRAMER	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2851		BORON TRIFLUORIDE DIHYDRATE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden
2853		MAGNESIUM FLUOROSILICATE	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2854		AMMONIUM FLUOROSILICATE	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2855		ZINC FLUOROSILICATE	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2856	FLUROSILICATES, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted
2857	REFRIGERATING MACHINES containing non-flammable, non-toxic gases or ammonia solutions (UN 2672)		2.2		Non-Flammable Gas	119		P003	30 Kgs G	3	(E)	Accepted
2858	ZIRCONIUM, DRY, coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)		4.1	III	Flammable Solid	546		P002	30 Kgs G	3	(E)	Accepted
2859	AMMONIUM METAVANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2861	AMMONIUM POLYVANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2862	VANADIUM PENTOXIDE, non-fused form		6.1	III	Toxic	600		P002	30 Kgs G	2	(E)	Accepted
2863	SODIUM AMMONIUM VANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2864	POTASSIUM METAVANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2865	HYDROXYLAMINE SULPHATE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2869	TITANIUM TRICHLORIDE MIXTURE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
2869	TITANIUM TRICHLORIDE MIXTURE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2871	ANTIMONY POWDER		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2872	DIBROMOCHLORO-PROPANES		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2872	DIBROMOCHLORO-PROPANES		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2873	DIBUTYLAMINOETHANOL		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2874	FURFURYL ALCOHOL		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2875	HEXACHLOROPHENE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2876	RESORCINOL		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
2878	TITANIUM SPONGE GRANULES or TITANIUM SPONGE POWDERS		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2881	METAL CATALYST, DRY	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden
2881	METAL CATALYST, DRY	Yes	4.2	III	Spontaneously Combustible	274		P002	30 Kgs G	3	(E)	Forbidden
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2904	CHLOROPHENOLATES, LIQUID or PHENOLATES, LIQUID		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
2905	CHLOROPHENOLATES, SOLID or PHENOLATES, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2920	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	Yes	8 (3)	II	Corrosive, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2921	CORROSIVE SOLID, FLAMMABLE, N.O.S.	Yes	8 (4.1)	II	Corrosive, Flammable Solid	274		P002	30 Kgs G	2	(E)	Forbidden
2922	CORROSIVE LIQUID, TOXIC, N.O.S.	Yes	8 (6.1)	II	Corrosive, Toxic	274		P001	30 Kgs G	2	(E)	Forbidden
2922	CORROSIVE LIQUID, TOXIC, N.O.S.	Yes	8 (6.1)	III	Corrosive, Toxic	274		P001	30 Kgs G	3	(E)	Forbidden
2923	CORROSIVE SOLID, TOXIC, N.O.S.	Yes	8 (6.1)	II	Corrosive, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden
2923	CORROSIVE SOLID, TOXIC, N.O.S.	Yes	8 (6.1)	III	Corrosive, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden
2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Yes	3 (8)	I	Flammable Liquid, Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Yes	3 (8)	II	Flammable Liquid, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden
2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Yes	3 (8)	III	Flammable Liquid, Corrosive	274		P001	30 Kgs G	3	(D/E)	Forbidden
2925	FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.1 (8)	II	Flammable Solid, Corrosive	274		P002	30 Kgs G	2	(E)	Forbidden
2925	FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.1 (8)	III	Flammable Solid, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden
2926	FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	Yes	4.1 (6.1)	II	Flammable Solid, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden
2926	FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	Yes	4.1 (6.1)	III	Flammable Solid, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden
2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden
2928	TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P002	30 Kgs G	2	(D/E)	Forbidden
2929	TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden
2930	TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S.	Yes	6.1 (4.1)	II	Toxic, Flammable Solid	274		P002	30 Kgs G	2	(D/E)	Forbidden
2931	VANADYL SULPHATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
2933	METHYL 2-CHLOROPROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2934	ISOPROPYL 2-CHLOROPROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2935	ETHYL 2-CHLOROPROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2936	THIOLACTIC ACID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2937	alpha-METHYLBENZYL ALCOHOL, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2940	9-PHOSPHABICYCLO-NONANES (CYCLOOCTADIENE PHOSPHINES)		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden
2941	FLUOROANILINES		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2942	2-TRIFLUOROMETHYL-ANILINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2943	TETRAHYDROFURFURYL-AMINE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2945	N-METHYLBUTYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden
2946	2-AMINO-5-DIETHYLAMINOPENTANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
2947	ISOPROPYL CHLOROACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
2948	3-TRIFLUOROMETHYL-ANILINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2949	SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization		8	II	Corrosive	523		P002	30 Kgs G	2	(E)	Accepted
2966	THIOGLYCOL		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
2967	SULPHAMIC ACID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
2969	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE		9	II	Miscellaneous	141		P002	30 Kgs G	2	(E)	Accepted
2983	ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE, not more than 30% ethylene oxide		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
2985	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.		3 (8)	II	Flammable Liquid, Corrosive	548		P010	30 Kgs G	2	(D/E)	Forbidden
2986	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.		8 (3)	II	Corrosive, Flammable Liquid	548		P010	30 Kgs G	2	(D/E)	Forbidden
2987	CHLOROSILANES, CORROSIVE, N.O.S.		8	II	Corrosive	548		P010	30 Kgs G	2	(E)	Accepted
2989	LEAD PHOSPHITE, DIBASIC		4.1	II	Flammable Solid			P002	30 Kgs G	2	(E)	Accepted
2989	LEAD PHOSPHITE, DIBASIC		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted
2990	LIFE-SAVING APPLIANCES, SELF-INFLATING		9		Miscellaneous	296 635	SP635 labelling exception not accepted by UPS	P905	30 Kgs G	3	(E)	Accepted
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3021	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3021	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3022	1,2-BUTYLENE OXIDE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
3024	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3024	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
3028	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID, electric storage		8		Corrosive	295 304 598	SP598 Not accepted by UPS	P801	30 Kgs G	3	(E)	Accepted
3054	CYCLOHEXYL MERCAPTAN		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
3055	2-(2-AMINOETHOXY) ETHANOL		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
3056	n-HEPTALDEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
3065	ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
3065	ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume		3	III	Flammable Liquid	144 145 247	SP247 Not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		8	II	Corrosive	163 367		P001	30 Kgs G	2	(E)	Accepted
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		8	III	Corrosive	163 367		P001	30 Kgs G	3	(E)	Accepted
3070	ETHYLENE OXIDE AND DICHLORODIFLUORO- METHANE MIXTURE with not more than 12.5% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted
3071	MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, TOXIC, FLAMMABLE, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden
3072	LIFE-SAVING APPLIANCES NOT SELF- INFLATING containing dangerous goods as equipment		9		Miscellaneous	296 335 635	SP335 & SP635 labelling exception not accepted by UPS	P905	30 Kgs G	3	(E)	Accepted
3073	VINYLPYRIDINES, STABILIZED		6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Yes	9	III	Miscellaneous	274 335 375 601		P002	30 Kgs G	3	(-)	Accepted
3080	ISOCYANATES, TOXIC, FLAMMABLE, N.O.S. or ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274 551		P001	30 Kgs G	2	(D/E)	Forbidden
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Yes	9	III	Miscellaneous	274 335 375 601		P001	30 Kgs G	3	(-)	Accepted
3084	CORROSIVE SOLID, OXIDIZING, N.O.S.	Yes	8 (5.1)	II	Corrosive, Oxidizer	274		P002	30 Kgs G	2	(E)	Forbidden
3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	Yes	5.1 (8)	I	Oxidizer, Corrosive	274		P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	Yes	5.1 (8)	II	Oxidizer, Corrosive	274		P002	30 Kgs G	2	(E)	Forbidden
3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	Yes	5.1 (8)	III	Oxidizer, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden
3086	TOXIC SOLID, OXIDIZING, N.O.S.	Yes	6.1 (5.1)	II	Toxic, Oxidizer	274		P002	30 Kgs G	2	(D/E)	Forbidden
3087	OXIDIZING SOLID, TOXIC, N.O.S.	Yes	5.1 (6.1)	I	Oxidizer, Toxic	274		P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3087	OXIDIZING SOLID, TOXIC, N.O.S.	Yes	5.1 (6.1)	II	Oxidizer, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden
3087	OXIDIZING SOLID, TOXIC, N.O.S.	Yes	5.1 (6.1)	III	Oxidizer, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden
3088	SELF-HEATING SOLID, ORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden
3088	SELF-HEATING SOLID, ORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274 665		P002	30 Kgs G	3	(E)	Forbidden
3089	METAL POWDER, FLAMMABLE, N.O.S.		4.1	II	Flammable Solid	552		P002	30 Kgs G	2	(E)	Accepted
3089	METAL POWDER, FLAMMABLE, N.O.S.		4.1	III	Flammable Solid	552		P002	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3090	LITHIUM METAL BATTERIES (including lithium alloy batteries)		9		Miscellaneous 9A Lithium Battery	188 230 310 376 377 387 636	SP310 for prototype and low production runs require special approval. SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377 and 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted
3091	LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)		9		Miscellaneous 9A Lithium Battery	188 230 310 360 376 377 387 390 636 670	SP310 for prototype and low production runs require special approval. SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377 and 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted
3092	1-METHOXY-2-PROPANOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
3093	CORROSIVE LIQUID, OXIDIZING, N.O.S.	Yes	8 (5.1)	II	Corrosive, Oxidizer	274		P001	30 Kgs G	2	(E)	Forbidden
3095	CORROSIVE SOLID, SELF-HEATING, N.O.S.	Yes	8 (4.2)	II	Corrosive, Spontaneously Combustible	274		P002	30 Kgs G	2	(E)	Forbidden
3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	Yes	5.1 (8)	I	Oxidizer, Corrosive	274		P502	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3098		OXIDIZING LIQUID, CORROSIVE, N.O.S.	5.1 (8)	II	Oxidizer, Corrosive	274		P504	30 Kgs G	2	(E)	Forbidden
3098		OXIDIZING LIQUID, CORROSIVE, N.O.S.	5.1 (8)	III	Oxidizer, Corrosive	274		P504	30 Kgs G	3	(E)	Forbidden
3099		OXIDIZING LIQUID, TOXIC, N.O.S.	5.1 (6.1)	I	Oxidizer, Toxic	274		P502	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3099		OXIDIZING LIQUID, TOXIC, N.O.S.	5.1 (6.1)	II	Oxidizer, Toxic	274		P504	30 Kgs G	2	(E)	Forbidden
3099		OXIDIZING LIQUID, TOXIC, N.O.S.	5.1 (6.1)	III	Oxidizer, Toxic	274		P504	30 Kgs G	3	(E)	Forbidden
3103		ORGANIC PEROXIDE TYPE C, LIQUID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
3104		ORGANIC PEROXIDE TYPE C, SOLID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
3105		ORGANIC PEROXIDE TYPE D, LIQUID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3106		ORGANIC PEROXIDE TYPE D, SOLID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3107		ORGANIC PEROXIDE TYPE E, LIQUID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3108		ORGANIC PEROXIDE TYPE E, SOLID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3109		ORGANIC PEROXIDE TYPE F, LIQUID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3110		ORGANIC PEROXIDE TYPE F, SOLID	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3122		TOXIC LIQUID, OXIDIZING, N.O.S.	6.1 (5.1)	II	Toxic, Oxidizer	274		P001	30 Kgs G	2	(D/E)	Forbidden
3124		TOXIC SOLID, SELF-HEATING, N.O.S.	6.1 (4.2)	II	Toxic, Spontaneously Combustible	274		P002	30 Kgs G	2	(D/E)	Forbidden
3126		SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P410	30 Kgs G	2	(D/E)	Forbidden
3126		SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden
3128		SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P410	30 Kgs G	2	(D/E)	Forbidden
3128		SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3139	OXIDIZING LIQUID, N.O.S.	Yes	5.1	I	Oxidizer	274		P502	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3139	OXIDIZING LIQUID, N.O.S.	Yes	5.1	II	Oxidizer	274		P504	30 Kgs G	2	(E)	Forbidden
3139	OXIDIZING LIQUID, N.O.S.	Yes	5.1	III	Oxidizer	274		P504	30 Kgs G	3	(E)	Accepted
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted
3141	ANTIMONY COMPOUND, INORGANIC, LIQUID, N.O.S.	Yes	6.1	III	Toxic	45 274 512		P001	30 Kgs G	2	(E)	Accepted
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C <sub>2</sub> -C <sub>12</sub> homologues)		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C <sub>2</sub> -C <sub>12</sub> homologues)		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C <sub>2</sub> -C <sub>12</sub> homologues)		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Accepted
3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Accepted
3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3150		DEVICES, SMALL, HYDROCARBON GAS POWERED or HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device	2.1		Flammable Gas			P209	30 Kgs G	2	(D)	Accepted
3153		PERFLUORO(METHYL VINYL ETHER)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
3154		PERFLUORO(ETHYL VINYL ETHER)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
3155		PENTACHLOROPHENOL	6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted
3156		COMPRESSED GAS, OXIDIZING, N.O.S.	2.2 (5.1)		Non-Flammable Gas, Oxidizer	274 655 662		P200	30 Kgs G	3	(E)	Accepted
3157		LIQUEFIED GAS, OXIDIZING, N.O.S.	2.2 (5.1)		Non-Flammable Gas, Oxidizer	274 662		P200	30 Kgs G	3	(C/E)	Accepted
3159		1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134a)	2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3161		LIQUEFIED GAS, FLAMMABLE, N.O.S.	2.1		Flammable Gas	274 662		P200	30 Kgs G	2	(B/D)	Forbidden
3163		LIQUEFIED GAS, N.O.S.	2.2		Non-Flammable Gas	274 392 662		P200	30 Kgs G	3	(C/E)	Accepted
3164		ARTICLES, PRESSURIZED, PNEUMATIC or HYDRAULIC (containing non-flammable gas)	2.2		Non-Flammable Gas	283 371 594		P003	30 Kgs G	3	(E)	Accepted
3165		AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine) (M86 fuel)	3 (6.1, 8)	I	Flammable Liquid, Toxic, Corrosive			P301	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3166		VEHICLE, FLAMMABLE GAS POWERED or VEHICLE, FLAMMABLE LIQUID POWERED or VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED			May not be regulated by ADR when shipped by UPS Standard (ground) service.							
3167		GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S., not refrigerated liquid	2.1		Flammable Gas			P201	30 Kgs G	2	(D)	Accepted
3171		BATTERY POWERED VEHICLE or BATTERY POWERED EQUIPMENT	9		May not be regulated by ADR when shipped by UPS Standard (ground) service.							
3172		TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	6.1	II	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	Yes	6.1	III	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P001	30 Kgs G	2	(E)	Accepted
3174	TITANIUM DISULPHIDE		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden
3175	SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash- point up to 60 °C	Yes	4.1	II	Flammable Solid	216 274 601		P002	30 Kgs G	2	(E)	Forbidden
3178	FLAMMABLE SOLID, INORGANIC, N.O.S.	Yes	4.1	II	Flammable Solid	274		P002	30 Kgs G	2	(E)	Accepted
3178	FLAMMABLE SOLID, INORGANIC, N.O.S.	Yes	4.1	III	Flammable Solid	274		P002	30 Kgs G	3	(E)	Accepted
3179	FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.1 (6.1)	II	Flammable Solid, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden
3179	FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.1 (6.1)	III	Flammable Solid, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden
3180	FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.1 (8)	II	Flammable Solid, Corrosive	274		P002	30 Kgs G	2	(E)	Forbidden
3180	FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.1 (8)	III	Flammable Solid, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden
3181	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	Yes	4.1	II	Flammable Solid	274		P002	30 Kgs G	2	(E)	Accepted
3181	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	Yes	4.1	III	Flammable Solid	274		P002	30 Kgs G	3	(E)	Accepted
3182	METAL HYDRIDES, FLAMMABLE, N.O.S.	Yes	4.1	II	Flammable Solid	274 554		P410	30 Kgs G	2	(E)	Forbidden
3182	METAL HYDRIDES, FLAMMABLE, N.O.S.	Yes	4.1	III	Flammable Solid	274 554		P002	30 Kgs G	3	(E)	Accepted
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P001	30 Kgs G	2	(D/E)	Forbidden
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274		P001	30 Kgs G	3	(E)	Forbidden
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P402	30 Kgs G	2	(D/E)	Forbidden
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P001	30 Kgs G	3	(E)	Forbidden
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P402	30 Kgs G	2	(D/E)	Forbidden
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P001	30 Kgs G	3	(E)	Forbidden
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274		P001	30 Kgs G	3	(E)	Forbidden
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P402	30 Kgs G	2	(D/E)	Forbidden
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P001	30 Kgs G	3	(E)	Forbidden
3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P402	30 Kgs G	2	(D/E)	Forbidden
3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P001	30 Kgs G	3	(E)	Forbidden
3189	METAL POWDER, SELF-HEATING, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274 555		P410	30 Kgs G	2	(D/E)	Forbidden
3189	METAL POWDER, SELF-HEATING, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274 555		P002	30 Kgs G	3	(E)	Forbidden
3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden
3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274		P002	30 Kgs G	3	(E)	Forbidden
3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P410	30 Kgs G	2	(D/E)	Forbidden
3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden
3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P410	30 Kgs G	2	(D/E)	Forbidden
3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden
3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	Yes	4.2	II	Spontaneously Combustible	183 274		P410	30 Kgs G	2	(D/E)	Forbidden
3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	Yes	4.2	III	Spontaneously Combustible	183 274		P002	30 Kgs G	3	(E)	Forbidden
3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	182 274		P410	30 Kgs G	2	(D/E)	Forbidden
3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	182 274		P002	30 Kgs G	3	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	274 351		P504	30 Kgs G	2	(E)	Accepted
3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	III	Oxidizer	274 351		P504	30 Kgs G	3	(E)	Accepted
3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted
3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted
3212	HYPOCHLORITES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 349		P002	30 Kgs G	2	(E)	Accepted
3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	274 350		P504	30 Kgs G	2	(E)	Accepted
3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	III	Oxidizer	274 350		P504	30 Kgs G	3	(E)	Accepted
3214	PERMANGANATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	274 353		P504	30 Kgs G	2	(E)	Accepted
3215	PERSULPHATES, INORGANIC, N.O.S.		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
3216	PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted
3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	II	Oxidizer	270 511		P504	30 Kgs G	2	(E)	Accepted
3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	III	Oxidizer	270 511		P504	30 Kgs G	3	(E)	Accepted
3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	103 274		P504	30 Kgs G	2	(E)	Accepted
3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	III	Oxidizer	103 274		P504	30 Kgs G	3	(E)	Accepted
3220	PENTAFLUOROETHANE (REFRIGERANT GAS R 125)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3223	SELF-REACTIVE LIQUID TYPE C	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
3224	SELF-REACTIVE SOLID TYPE C	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden
3225	SELF-REACTIVE LIQUID TYPE D	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3226	SELF-REACTIVE SOLID TYPE D	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3227	SELF-REACTIVE LIQUID TYPE E	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3228	SELF-REACTIVE SOLID TYPE E	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3229	SELF-REACTIVE LIQUID TYPE F	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3230	SELF-REACTIVE SOLID TYPE F	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden
3243	SOLIDS CONTAINING TOXIC LIQUID, N.O.S.	Yes	6.1	II	Toxic	217 274 601		P002	30 Kgs G	2	(D/E)	Accepted
3244	SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.	Yes	8	II	Corrosive	218 274		P002	30 Kgs G	2	(E)	Accepted
3247	SODIUM PEROXOBORATE, ANHYDROUS		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
3248	MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.		3 (6.1)	II	Flammable Liquid, Toxic	220 221 601		P001	30 Kgs G	2	(D/E)	Forbidden
3248	MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.		3 (6.1)	III	Flammable Liquid, Toxic	220 221 601		P001	30 Kgs G	3	(D/E)	Forbidden
3249	MEDICINE, SOLID, TOXIC, N.O.S.		6.1	II	Toxic	221 601		P002	30 Kgs G	2	(D/E)	Accepted
3249	MEDICINE, SOLID, TOXIC, N.O.S.		6.1	III	Toxic	221 601		P002	30 Kgs G	2	(E)	Accepted
3252	DIFLUOROMETHANE (REFRIGERANT GAS R 32)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden
3253	DISODIUM TRIOXOSILICATE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted
3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted
3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted
3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted
3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden
3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted
3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted
3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden
3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted
3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted
3268	SAFETY DEVICES, electrically initiated		9		Miscellaneous	280 289		P902	30 Kgs G	4	(E)	Accepted
3269	POLYESTER RESIN KIT, liquid base material		3	II	Flammable Liquid	236 340		P302	30 Kgs G	2	(E)	Accepted
3269	POLYESTER RESIN KIT, liquid base material		3	III	Flammable Liquid	236 340		P302	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3270		NITROCELLULOSE MEMBRANE FILTERS, with not more than 12.6% nitrogen, by dry mass	4.1	II	Flammable Solid	237 286		P411	30 Kgs G	2	(E)	Accepted
3271		ETHERS, N.O.S.	3	II	Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Accepted
3271		ETHERS, N.O.S.	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted
3272		ESTERS, N.O.S.	3	II	Flammable Liquid	274 601		P001	30 Kgs G	2	(D/E)	Accepted
3272		ESTERS, N.O.S.	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(D/E)	Accepted
3273		NITRILES, FLAMMABLE, TOXIC, N.O.S.	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3273		NITRILES, FLAMMABLE, TOXIC, N.O.S.	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden
3274		ALCOHOLATES SOLUTION, N.O.S., in alcohol	3 (8)	II	Flammable Liquid, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden
3275		NITRILES, TOXIC, FLAMMABLE, N.O.S.	6.1 (3)	II	Toxic, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden
3276		NITRILES, LIQUID, TOXIC, N.O.S.	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted
3276		NITRILES, LIQUID, TOXIC, N.O.S.	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted
3277		CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.	6.1 (8)	II	Toxic, Corrosive	274 561		P001	30 Kgs G	2	(D/E)	Forbidden
3278		ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted
3278		ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted
3279		ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	6.1 (3)	II	Toxic, Flammable Liquid	43 274		P001	30 Kgs G	2	(D/E)	Forbidden
3280		ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden
3280		ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Forbidden
3281		METAL CARBONYLS, LIQUID, N.O.S.	6.1	II	Toxic	274 562		P001	30 Kgs G	2	(D/E)	Forbidden
3281		METAL CARBONYLS, LIQUID, N.O.S.	6.1	III	Toxic	274 562		P001	30 Kgs G	2	(E)	Forbidden
3282		ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	II	Toxic	274 562		P001	30 Kgs G	2	(D/E)	Forbidden
3282		ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	III	Toxic	274 562		P001	30 Kgs G	2	(E)	Forbidden
3283		SELENIUM COMPOUND, SOLID, N.O.S.	6.1	II	Toxic	274 563		P002	30 Kgs G	2	(D/E)	Forbidden
3283		SELENIUM COMPOUND, SOLID, N.O.S.	6.1	III	Toxic	274 563		P002	30 Kgs G	2	(E)	Forbidden
3284		TELLURIUM COMPOUND, N.O.S.	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3284	TELLURIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted
3285	VANADIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	274 564		P002	30 Kgs G	2	(D/E)	Accepted
3285	VANADIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274 564		P002	30 Kgs G	2	(E)	Accepted
3286	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	Yes	3 (6.1, 8)	I	Flammable Liquid, Toxic, Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3286	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	Yes	3 (6.1, 8)	II	Flammable Liquid, Toxic, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden
3287	TOXIC LIQUID, INORGANIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted
3287	TOXIC LIQUID, INORGANIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted
3288	TOXIC SOLID, INORGANIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted
3288	TOXIC SOLID, INORGANIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted
3289	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden
3290	TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P002	30 Kgs G	2	(D/E)	Forbidden
3293	HYDRAZINE, AQUEOUS SOLUTION with not more than 37% hydrazine, by mass		6.1	III	Toxic	566		P001	30 Kgs G	2	(E)	Accepted
3295	HYDROCARBONS, LIQUID, N.O.S.		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
3295	HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
3295	HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
3295	HYDROCARBONS, LIQUID, N.O.S.		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted
3296	HEPTAFLUOROPROPANE (REFRIGERANT GAS R 227)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3297	ETHYLENE OXIDE AND CHLOROTETRAFLUORO- ETHANE MIXTURE with not more than 8.8% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted
3298	ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE with not more than 7.9% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted
3299	ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE with not more than 5.6% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3301	CORROSIVE LIQUID, SELF-HEATING, N.O.S.	Yes	8 (4.2)	II	Corrosive, Spontaneously Combustible	274		P001	30 Kgs G	2	(E)	Forbidden
3302	2-DIMETHYLAMINOETHYL ACRYLATE, STABILIZED		6.1	II	Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
3313	ORGANIC PIGMENTS, SELF-HEATING		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden
3313	ORGANIC PIGMENTS, SELF-HEATING		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden
3314	PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form evolving flammable vapour		9	III	Not Required	207 633 675	SP633 Not accepted by UPS	P002	30 Kgs G	3	(D/E)	Accepted
3316	CHEMICAL KIT or FIRST AID KIT		9	II	Miscellaneous	251 340 671		P901	30 Kgs G	2 See SP671	(E)	Accepted
3316	CHEMICAL KIT or FIRST AID KIT		9	III	Miscellaneous	251 340		P901	30 Kgs G	3	(E)	Accepted
3320	SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION, with not more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
3320	SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION, with not more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
3334	AVIATION REGULATED LIQUID, N.O.S.				May not be regulated by ADR when shipped by UPS Standard (ground) service.							
3335	AVIATION REGULATED SOLID, N.O.S.				May not be regulated by ADR when shipped by UPS Standard (ground) service.							
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	Yes	3	I	Flammable Liquid	274		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	Yes	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted
3337	REFRIGERANT GAS R 404A (Pentafluoroethane, 1,1,1-trifluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 44% pentafluoroethane and 52% 1,1,1-trifluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3338	REFRIGERANT GAS R 407A (Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 20% difluoromethane and 40% pentafluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3339	REFRIGERANT GAS R 407B (Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 10% difluoromethane and 70% pentafluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3340	REFRIGERANT GAS R 407C (Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 23% difluoromethane and 25% pentafluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted
3341	THIOUREA DIOXIDE		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden
3341	THIOUREA DIOXIDE		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden
3342	XANTHATES		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden
3342	XANTHATES		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden
3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
3346	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3346	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3349	PYRETHROID PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted
3349	PYRETHROID PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted
3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden
3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted
3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted
3354	INSECTICIDE GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 662		P200	30 Kgs G	2	(B/D)	Forbidden
3356	OXYGEN GENERATOR, CHEMICAL		5.1		Oxidizer	284		P500	30 Kgs G	2	(E)	Accepted
3358	REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas		2.1		Flammable Gas	291		P003	30 Kgs G	2	(D)	Forbidden
3360	FIBRES, VEGETABLE, DRY				May not be regulated by ADR when shipped by UPS Standard (ground) service.							
3361	CHLOROSILANES, TOXIC, CORROSIVE, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P010	30 Kgs G	2	(D/E)	Forbidden
3362	CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	Yes	6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive	274		P010	30 Kgs G	2	(D/E)	Forbidden
3363	DANGEROUS GOODS IN ARTICLES or DANGEROUS GOODS IN MACHINERY or DANGEROUS GOODS IN APPARATUS		9		May not be regulated by ADR when shipped by UPS Standard (ground) service.							Accepted
3371	2 –METHYLBUTANAL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted
3373	BIOLOGICAL SUBSTANCE, CATEGORY B		6.2		UN3373	319		P650	30 Kgs G	-	(-)	Accepted
3373	BIOLOGICAL SUBSTANCE, CATEGORY B (animal material only)		6.2		UN3373	319		P650	30 Kgs G	-	(-)	Accepted
3374	ACETYLENE, SOLVENT FREE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(D)	Forbidden
3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL, intermediate for blasting explosives, liquid		5.1	II	Oxidizer	309	SP309 not accepted by UPS	P504	30 Kgs G	2	(E)	Forbidden
3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL, intermediate for blasting explosives, solid		5.1	II	Oxidizer	309	SP309 not accepted by UPS	P504	30 Kgs G	2	(E)	Forbidden
3377	SODIUM PERBORATE MONOHYDRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
3378	SODIUM CARBONATE PEROXYHYDRATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted
3378	SODIUM CARBONATE PEROXYHYDRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	Yes	4.2	III	Spontaneously Combustible	274		P002	30 Kgs G	3	(E)	Forbidden
3405	BARIUM CHLORATE SOLUTION		5.1 (6.1)	II	Oxidizer, Toxic			P504	30 Kgs G	2	(E)	Forbidden
3405	BARIUM CHLORATE SOLUTION		5.1 (6.1)	III	Oxidizer, Toxic			P001	30 Kgs G	3	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3406		BARIUM PERCHLORATE SOLUTION	5.1 (6.1)	II	Oxidizer, Toxic			P504	30 Kgs G	2	(E)	Forbidden
3406		BARIUM PERCHLORATE SOLUTION	5.1 (6.1)	III	Oxidizer, Toxic			P001	30 Kgs G	3	(E)	Forbidden
3407		CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted
3407		CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted
3408		LEAD PERCHLORATE SOLUTION	5.1 (6.1)	II	Oxidizer, Toxic			P504	30 Kgs G	2	(E)	Forbidden
3408		LEAD PERCHLORATE SOLUTION	5.1 (6.1)	III	Oxidizer, Toxic			P001	30 Kgs G	3	(E)	Forbidden
3409		CHLORONITROBENZENES, LIQUID	6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted
3410		4-CHLORO-o-TOLUIDINE HYDROCHLORIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3411		beta-NAPHTHYLAMINE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
3411		beta-NAPHTHYLAMINE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3412		FORMIC ACID with not less than 10% but not more than 85% acid by mass	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
3412		FORMIC ACID with not less than 5% but less than 10% acid by mass	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
3413		POTASSIUM CYANIDE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
3413		POTASSIUM CYANIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Forbidden
3414		SODIUM CYANIDE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Forbidden
3414		SODIUM CYANIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Forbidden
3415		SODIUM FLUORIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3416		CHLOROACETO-PHENONE, LIQUID	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
3417		XYLYL BROMIDE, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3418		2,4-TOLUYLENEDIAMINE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3419		BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
3420		BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
3421		POTASSIUM HYDROGENDIFLUORIDE SOLUTION	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
3421		POTASSIUM HYDROGENDIFLUORIDE SOLUTION	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden
3422		POTASSIUM FLUORIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3423		TETRAMETHYL-AMMONIUM HYDROXIDE, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
3424		AMMONIUM DINITRO-o-CRESOLATE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
3424		AMMONIUM DINITRO-o-CRESOLATE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3425		BROMOACETIC ACID, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted
3426		ACRYLAMIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3427		CHLOROBENZYL CHLORIDES, SOLID	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
3428		3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3429	CHLOROTOLUIDINES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3430	XYLENOLS, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted
3431	NITROBENZO-TRIFLUORIDES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3434	NITROCRESOLS, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted
3436	HEXAFLUOROACETONE HYDRATE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3437	CHLOROCRESOLS, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3438	alpha-METHYLBENZYL ALCOHOL, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
3439	NITRILES, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted
3439	NITRILES, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	274 563		P001	30 Kgs G	2	(D/E)	Forbidden
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	274 563		P001	30 Kgs G	2	(E)	Forbidden
3441	CHLORODINITROBENZENES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted
3442	DICHLOROANILINES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted
3443	DINITROBENZENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3444	NICOTINE HYDROCHLORIDE, SOLID		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted
3445	NICOTINE SULPHATE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3446	NITROTOLUENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3447	NITROXYLENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3448	TEAR GAS SUBSTANCE, SOLID, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted
3451	TOLUIDINES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted
3452	XYLIDINES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3453	PHOSPHORIC ACID, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted
3454	DINITROTOLUENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted
3455	CRESOLS, SOLID		6.1 (8)	II	Toxic, Corrosive			P002	30 Kgs G	2	(D/E)	Forbidden
3456	NITROSYLSULPHURIC ACID, SOLID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden
3457	CHLORONITROTOLUENES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
3458	NITROANISOLE, SOLID		6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted
3459	NITROBROMOBENZENES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
3460	N-ETHYLBENZYL-TOLUIDINES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	Yes	6.1	II	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P002	30 Kgs G	2	(D/E)	Accepted
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	Yes	6.1	III	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P002	30 Kgs G	2	(E)	Accepted
3463	PROPIONIC ACID with not less than 90% acid by mass		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Accepted
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Accepted
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Forbidden
3466	METAL CARBONYLS, SOLID, N.O.S.	Yes	6.1	II	Toxic	274 562		P002	30 Kgs G	2	(D/E)	Forbidden
3466	METAL CARBONYLS, SOLID, N.O.S.	Yes	6.1	III	Toxic	274 562		P002	30 Kgs G	2	(E)	Forbidden
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274 562		P002	30 Kgs G	2	(D/E)	Forbidden
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274 562		P002	30 Kgs G	2	(E)	Forbidden
3468	HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT		2.1		Flammable Gas	321 356	SP356 not accepted by UPS	P205	30 Kgs G	2	(D)	Forbidden
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)		3 (8)	I	Flammable Liquid, Corrosive	163 367		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)		3 (8)	II	Flammable Liquid, Corrosive	163 367		P001	30 Kgs G	2	(D/E)	Forbidden
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)		3 (8)	III	Flammable Liquid, Corrosive	163 367		P001	30 Kgs G	3	(D/E)	Forbidden
3470	PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE (including paint thinning and reducing compound)		8 (3)	II	Corrosive, Flammable Liquid	163 367		P001	30 Kgs G	2	(D/E)	Forbidden

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3471		HYDROGENDIFLUORIDES SOLUTION, N.O.S.	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden
3471		HYDROGENDIFLUORIDES SOLUTION, N.O.S.	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden
3472		CROTONIC ACID, LIQUID	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted
3473		FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT containing flammable liquids	3		Flammable Liquid	328		P004	30 Kgs G	3	(E)	Accepted
3474		1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	4.1	I	Flammable Solid			P406	30 Kgs G and 10 Kgs net per package.	1	(B)	Forbidden
3475		ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	3	II	Flammable Liquid	333 664	SP664 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted
3477		FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances	8		Corrosive	328 334		P004	30 Kgs G	3	(E)	Forbidden
3478		FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing liquefied flammable gas	2.1		Flammable Gas	328 338		P004	30 Kgs G	2	(D)	Accepted
3479		FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing hydrogen in metal hydride	2.1		Flammable Gas	328 339		P004	30 Kgs G	2	(D)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3480	LITHIUM ION BATTERIES (including lithium ion polymer batteries)		9		Miscellaneous 9A Lithium Battery	188 230 310 348 376 377 387 636	SP310 for prototype and low production runs require special approval. SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377 and 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted
3481	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)		9		Miscellaneous 9A Lithium Battery	188 230 310 348 360 376 377 387 390 636 670	SP310 for prototype and low production runs require special approval. SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377 and 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC		3 (6.1)	I	Flammable Liquid, Toxic	343		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC		3 (6.1)	II	Flammable Liquid, Toxic	343		P001	30 Kgs G	2	(D/E)	Forbidden
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC		3 (6.1)	III	Flammable Liquid, Toxic	343		P001	30 Kgs G	3	(D/E)	Forbidden
3495	IODINE		8 (6.1)	III	Corrosive, Toxic	279		P002	30 Kgs G	3	(E)	Forbidden

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3496	BATTERIES, NICKEL-METAL HYDRIDE				May not be regulated by ADR when shipped by UPS Standard (ground) service.							
3497	KRILL MEAL		4.2	II	Spontaneously Combustible	300	SP300 not accepted by UPS	P410	30 Kgs G	2	(D/E)	Forbidden
3497	KRILL MEAL		4.2	III	Spontaneously Combustible	300	SP300 not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden
3498	IODINE MONOCHLORIDE, LIQUID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted
3499	CAPACITOR, ELECTRIC DOUBLE LAYER (with an energy storage capacity greater than 0.3Wh)		9		Miscellaneous	361		P003	30 Kgs G	4	(E)	Accepted
3500	CHEMICAL UNDER PRESSURE, N.O.S.	Yes	2.2		Non-Flammable Gas	274 659		P206	30 Kgs G	3	(C/E)	Accepted
3501	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 659		P206	30 Kgs G	2	(B/D)	Forbidden
3502	CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.	Yes	2.2 (6.1)		Non-Flammable Gas, Toxic	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(C/D)	Forbidden
3503	CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S.	Yes	2.2 (8)		Non-Flammable Gas, Corrosive	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(C/D)	Forbidden
3504	CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.	Yes	2.1 (6.1)		Flammable Gas, Toxic	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(B/D)	Forbidden
3505	CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.	Yes	2.1 (8)		Flammable Gas, Corrosive	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(B/D)	Forbidden
3506	MERCURY CONTAINED IN MANUFACTURED ARTICLES		8 (6.1)		Corrosive, Toxic	366		P003	30 Kgs G	3	(E)	Forbidden
3508	CAPACITOR, ASYMMETRIC (with an energy storage capacity greater than 0.3Wh)		9		Miscellaneous	372		P003	30 Kgs G	4	(E)	Accepted
3509	PACKAGINGS, DISCARDED, EMPTY, UNCLEANED		9		Miscellaneous	663	SP663 Not accepted by UPS	P003	30 Kgs G	4	(E)	Accepted
3510	ADSORBED GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274		P208	30 Kgs G	2	(D)	Forbidden
3511	ADSORBED GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274		P208	30 Kgs G	3	(E)	Accepted
3513	ADSORBED GAS, OXIDIZING, N.O.S.	Yes	2.2 (5.1)		Non-Flammable Gas, Oxidizer	274		P208	30 Kgs G	3	(E)	Accepted
3527	POLYESTER RESIN KIT, solid base material		4.1	II	Flammable Solid	236 340		P412	30 Kgs G	2	(E)	Accepted
3527	POLYESTER RESIN KIT, solid base material		4.1	III	Flammable Solid	236 340		P412	30 Kgs G	3	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3528	ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED		3		Flammable Liquid	363 667 669	SP363 not accepted by UPS. SP669 not applicable to UPS.	P005	30 Kgs G	-	(D)	Accepted
3529	ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED		2.1		Flammable Gas	363 667 669	SP363 not accepted by UPS. SP669 not applicable to UPS.	P005	30 Kgs G	-	(B)	Accepted
3530	ENGINE, INTERNAL COMBUSTION or MACHINERY, INTERNAL COMBUSTION		9		Miscellaneous	363 667 669	SP363 not accepted by UPS. SP669 not applicable to UPS.	P005	30 Kgs G	-	(E)	Accepted
3531	POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.	Yes	4.1	III	Flammable solid	274 386 676	SP386 Not accepted by UPS	P002	30 Kgs G	2	(D)	Forbidden
3532	POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	Yes	4.1	III	Flammable solid	274 386 676	SP386 Not accepted by UPS	P002	30 Kgs G	2	(D)	Forbidden
3535	TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S.	Yes	6.1 (4.1)	II	Toxic, Flammable Solid	274		P002	30 Kgs G and 10 Kgs net per package.	2	(D/E)	Forbidden
3537	ARTICLES CONTAINING FLAMMABLE GAS, N.O.S.	Yes	2.1		Flammable Gas	274		P006	30 Kgs G	4	(E)	Accepted
3538	ARTICLES CONTAINING NON-FLAMMABLE, NON TOXIC GAS, N.O.S.	Yes	2.2		Non-Flammable, Non Toxic Gas	274 396		P006	30 Kgs G	4	(E)	Accepted
3540	ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S.	Yes	3		Flammable	274		P006	30 Kgs G	4	(E)	Accepted
3541	ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S.	Yes	4.1		Flammable Solid	274		P006	30 Kgs G	4	(E)	Accepted
3542	ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.	Yes	4.2		Substance Liable To Spontaneous Combustion	274		P006	30 Kgs G	4	(E)	Forbidden
3544	ARTICLES CONTAINING OXIDIZING SUBSTANCE, N.O.S.	Yes	5.1		Oxidizing Substance	274		P006	30 Kgs G	4	(E)	Accepted
3545	ARTICLES CONTAINING ORGANIC PEROXIDE, N.O.S.	Yes	5.2		Organic Peroxide	274		P006	30 Kgs G	4	(E)	Forbidden
3546	ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.	Yes	6.1		Toxic Substance	274		P006	30 Kgs G	4	(E)	Accepted

**UPS Chemical Table - ADR**

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)
3547	ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	Yes	8		Corrosive	274		P006	30 Kgs G	4	(E)	Accepted
3548	ARTICLES CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S.	Yes	9		Miscellaneous	274		P006	30 Kgs G	4	(E)	Accepted